Index to Volume 34

AUTHOR INDEX

Adams, D. F.
Air quality technical information exchange to the People's Republic of China, 726
Environmental impact of natural emissions: summary of an APCA international specialty conference, 799
Adams, R. M.
Effects of alternative ozone concentrations and response data on economic assessments: the case of California crops, 1122
Using farmers' actions to measure crop loss due to air pollution, 360
Allison, D.
Lake Tahoe visibility study, 213
Alm, A. L.
EPA's hazardous air pollutant policy, 455
Altman, R. F.
A method for predicting the effective volume resistivity of a sodium depleted fly ash layer, 832
Altwicker, E. R.
Source-receptor relationships for acid deposition: pure and simple? Critical review discussion papers, 905
Aneja, V. P.
Environmental impact of natural emissions: summary of an APCA international specialty conference, 799
Avol, E. L.
Comparative respiratory effects of ozone and ambient oxidant pollution exposure during heavy exercise, 804
Battistoni, P.
Pollutant emission factors for the vegetable oil industry, 52
Becker, S. W.
The air administrators, 204, 618
Bedi, J. F.
Pulmonary function effects of 1.0 and 2.0 ppm sulfur dioxide exposure in active young male non-smokers. 1117
Bent, J. F.
Performance of dry flue gas desulfurization on a petroleum coke kiln application, 982
Bertch, R. W., Jr.
A 10 μm cutpoint size selective inlet for hi-vol samplers, 544
Bickelhaupt, R. E.
A method for predicting the effective volume resistivity of a sodium depleted fly ash layer, 832
Bowman, J. T.
Discrepancies in annual concentrations between long-term and short-term modeling techniques, 846
Brackbill, E. A.
Acidic and total primary sulfates: development of emission factors for major stationary combustion sources, 124
Bradley, M.
Report on the twelfth APCA government affairs seminar. Congress and the Clean Air Act: the critical issues, 624
Breiner, S. J.
Particle source assessment using wind-switched high volume samplers and x-ray diffraction analysis, 1052
Brennan, E.
TE effects division environmental report, 600, 1085
Brocksen, R. W.
Acid rain effects research—a status report, 1005
Brodkey, R.
Evaluation of RAM model for Cleveland, Ohio, part II, 371
Brower, R. P.
An updated Gaussian plume model for tall stacks, 818
Buchanan, J. W.
Particle source assessment using wind-switched high volume samplers and x-ray diffraction analysis, 1052
Businger, J. A.
Improving plume rise prediction accuracy for stable atmospheres with complex vertical structure, 1128
Butler, F. E.
Development of a 24-hour method for analysis of SO_2 and CO_2 from electric utility units equipped with flue gas desulfurization scrubbers, 936
Bytnerowicz, A.
Effects of ozone or sulfur dioxide on annual plants of the Mojave Desert, 1017
Cahill, T.
Gravimetric determination of mass on lightly loaded membrane filters, 376
Calvert, S.
Performance of gas-atomized spray scrubbers at high pressure, 736
Canelli, E.
Comment on "Erasure of midwestern Mn/V signature in an area of high vanadium concentration" with authors' reply, 548
Cannon, J. A.
Air quality effects of residential wood combustion, 895
Carpenter, R. L.
Use of a massive volume air sampler to collect fly ash for biological characterization, 671
Carr, R. C.
Fabric filter technology for utility coal-fired power plants. Series overview, 79
Fabric filter technology for utility coal-fired power plants. Part I: utility baghouse design and operation, 80
Fabric filter technology for utility coal-fired power plants. Part II: Application of baghouse technology in the electric utility industry, 178
Fabric filter technology for utility coal-fired power plants. Part III: Performance of full-scale utility baghouses, 281
Fabric filter technology for utility coal-fired power plants. Part IV: Pilot-scale and laboratory studies of fabric filter technology for utility applications, 399
Fabric filter technology for utility coal-fired power plants. Part V: Development and evaluation of bag cleaning methods in utility baghouses, 584
Fabric filte. technology for utility coal-fired power plants. Part VI: future research, development and demonstration of utility baghouses, 694
Carter, L. D.
A regional, new source bubble policy: its advantages illustrated for the state of Illinois, 25
Targeted strategies for control of acidic deposition, 1187
Cassoria, V.
Elemental composition of airborne particulate matter from Santiago City, Chile, 1976, 54
Castillo, R.
A study of marble deterioration at City Hall, Schenectady, New York, 15
Cheng, R. J.
A study of marble deterioration at City Hall, Schenectady, New York, 15
Cheng, Y. S.
Use of a massive volume air sampler to collect fly ash for biological characterization, 671
Chevone, B. I.
A rainfall simulator for laboratory use in acidic precipitation studies, 355
Coffey, P. E.
Source-receptor relationships for acid deposition: pure and simple? Critical review discussion papers, 905
Cohn, L. F.
An interactive graphics method for use in highway air quality analysis, 1137
Cole, C. F.
Surface mine pit retention, 674
Collins, J.
Trends in historical acid precursor emissions and their airborne and precipitation products, 333
Cooper, D. W.
The relationship between cross-sectional and time series studies, 551
Cooper, J. A.
Current and projected impacts of residential wood combustion on pacific northwest air quality, 138
Core, J. E.
Current and projected impacts of residential wood combustion on pacific northwest air quality, 138
Corman, G.
Indoor-outdoor air pollution, allergen and meteorological monitoring in an arid southwest area, 1035
Cortes, E.
Elemental composition of airborne particulate matter from Santiago City, Chile, 1976, 54
Cota, H. M.
A Basic computer program for the Gaussian equation for a point source, 253
Worldwide training in air pollution control, 721
Crocker, T. D.
Comment on "Decision problems in the control of acid precipitation: nonconvexities and irreversibilities" with authors' reply, 42
Crowder, J. W.
Discrepancies in annual concentrations between long-term and short-term modeling techniques, 846
Cure, W. W.
Assessing impacts of ozone on agricultural crops: I. Overview, 729
Assessing impacts of ozone on agricultural crops: II. Crop yield functions and alternative exposure statistics, 810
Daly, E. L., Jr.
Size distribution of airborne particulate matter emitted by the front-end processing of municipal solid waste feed material for large-scale anaerobic digesters, 779
Davies, T. D.
Indoor/outdoor ozone concentrations at a contemporary art gallery, 135
Davis, B. L.
Observation of heavy metal compounds in suspended particulate matter at East Helena, Montana, 1198
Davis, W. T.
Study of the reaction of SO_2 with $NaHCO_3$ and Na_2CO_3, 651
Dawson, P. J.
Effects of ozone or sulfur dioxide on annual plants of the Mojave Desert, 1017
Delany, A. C.
Indoor/outdoor ozone concentrations at a contemporary art gallery, 135
DeLuca, L. B.
Rotary filters: proposals for efficient industrial dust collection systems, 777
Derr, K. T.
A corporate view of environmental issues, 920
Dixon, B. L.
Using farmers' actions to measure crop loss due to air pollution, 360
Donovan, R. P.
Comparison of baghouse test results with the GCA/EPA design model, 872
Dravnieks, A.
Hedonics of odors and odor descriptors, 752
Duncan, M.
Performance of gas-atomized spray scrubbers at high pressure, 736
Durenberger, D.
Report on the twelfth APCA government affairs seminar. Congress and the Clean Air Act: the critical issues, 624
Durham, J. L.
Source-receptor relationships for acid deposition: pure and simple? Critical review discussion papers, 905
Edgerton, S. A.
Estimates of air pollution from backyard burning, 661

Eldridge, K. M.
Comparing PAL and ISC-ST when applied to a line source, 56
Ellis, E. C.
The carbon containing component of the Los Angeles aerosol: source apportionment and contributions to the visibility budget, 643
Ensor, D. S.
Comparison of baghouse test results with the GCA/EPA design model, 872
Trace element loss onto polyethylene container walls from impinger solutions from flue gas sampling, 233
Evans, J. S.
The relationship between cross-sectional and time series studies, 551
Evans, L. S.
Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans, 1107
Fabrick, A. J.
Surface mine pit retention, 674
Farber, R. J.
Improving plume rise prediction accuracy for stable atmospheres with complex vertical structure, 1128
Fava, G.
Pollutant emission factors for the vegetable oil industry, 52
Feeney, P.
Gravimetric determination of mass on lightly loaded membrane filters, 376
Fell, J.
Formaldehyde levels in New Hampshire urea-formaldehyde foam insulated houses. Relationship to outdoor temperature, 1051
Filby, R.
Trace element loss onto polyethylene container walls from impinger solutions from flue gas sampling, 233
Fitz-Simons, T.
Using the HP-41CV calculator as a data acquisition system for personal carbon monoxide exposure monitors, 954
Fletcher, R. A.
A review of personal/portable monitors and samplers for airborne particles, 1014
Foley, G. J.
Source-receptor relationships for acid deposition: pure and simple? Critical review discussion papers, 905
Folinsbee, L. J.
Pulmonary function effects of 1.0 and 2.0 ppm sulfur dioxide exposure in active young male non-smokers, 1117
Forster, B. A.
Comment on "Decision problems in the control of acid precipitation: nonconvexities and irreversibilities" with authors' reply, 42
Friedlander, S. K.
The carbon containing component of the Los Angeles aerosol: source apportionment and contributions to the visibility budget, 643
Frisch, E. M.
Backfitting electrostatic precipitators: gas velocity and reliability considerations, 664
Frisch, N. W.
Backfitting electrostatic precipitators: gas velocity and reliability considerations, 664
Fuerst, R. G.
A new audit method for EPA reference method 6, 242
Fung, K.
Hydrocarbons and carbonyls in Los Angeles air, 537
Gaddipati, S. R.
An interactive graphics method for use in highway air quality analysis, 1137
Galasyn, J. F.
The loss of PAH from quartz fiber high volume filters, 57
Ganesan, K.
Trends in historical acid precursor emissions and their airborne and precipitation products, 333
Garcia, P.
Using farmers' actions to measure crop loss due to air pollution, 360
Garvey, D. B.
A regional, new source bubble policy: its advantages illustrated for the state of Illinois, 25
Gauntt, R. O.
Butanol olfactometer for field measurement of ambient odors, 1208
Gautney, L. L., Jr.
Nonstandard applications of the method of expected exceedances, 670
Gerrish, H. P.
Size distribution of airborne particulate matter emitted by the front-end processing of municipal solid waste feed material for large-scale anaerobic digesters, 779
Gleit, A.
Estimation for lognormal data with multiplicative errors, 237
Glendening, J. W.
Improving plume rise prediction accuracy for stable atmospheres with complex vertical structure, 1128
Godish, T.
Formaldehyde levels in New Hampshire urea-formaldehyde foam insulated houses. Relationship to outdoor temperature, 1051
Goklany, I. M.
Acidic and total primary sulfates: development of emission factors for major stationary combustion sources, 124
Trends in emissions of PM, SO_x and NO_x, and VOC:NO_x ratios and their implications for trends in pH near industrialized areas, 844
Goldsmith, C. H.
The Hamilton Study: distribution of factors confounding the relationship between air quality and respiratory health, 1039
Gossard, T. W.
Effects of alternative ozone concentrations and response data on economic assessments: the case of California crops, 1122
Grogan, P. J.
A regional, new source bubble policy: its advantages illustrated for the state of Illinois, 25
Grosjean, D.
Hydrocarbons and carbonyls in Los Angeles air, 537
Gschwandtner, G.
Comparing PAL and ISC-ST when applied to a line source, 56
Guidara, R.
Gravimetric determination of mass on lightly loaded membrane filters, 376
Haataja, P. G.
Validation of the industrial source complex dispersion model in a rural setting, 365
Hackney, J. D.
Comparative respiratory effects of ozone and ambient oxidant pollution exposure during heavy exercise, 804
Hair, J.
Report on the twelfth APCA government affairs seminar. Congress and the Clean Air Act: the critical issues, 624
Halberstadt, M. L.
MVMA newsletter, 859
Hansen, D. A.
Trends in historical acid precursor emissions and their airborne and precipitation products, 333
Hanson, D. A.
A regional, new source bubble policy: its advantages illustrated for the state of Illinois, 25
Targeted strategies for control of acidic deposition, 1187
Hanson, R. L.
Use of a massive volume air sampler to collect fly ash for biological characterization, 671
Haynie, F. H.
Air pollution damage to exterior household paints, 941
Heagle, A. S.
Assessing impacts of ozone on agricultural crops: I. Overview, 729
Assessing impacts of ozone on agricultural crops: II. Crop yield functions and alternative exposure statistics, 810
Heck, W. W.
An air quality data analysis system for interrelating effects, standards, and needed source reductions: part 8. An effective mean O_3 crop reduction mathematical model, 1023
Assessing impacts of ozone on agricultural crops: I. Overview, 729
Assessing impacts of ozone on agricultural crops: II. Crop yield functions and alternative exposure statistics, 810
Heggestad, H. E.
Assessing impacts of ozone on agricultural crops: I. Overview, 729
Assessing impacts of ozone on agricultural crops: II. Crop yield functions and alternative exposure statistics, 810
Hendrey, G. R.
Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans, 1107
Henry, R. C.
Trends in historical acid precursor emissions and their airborne and precipitation products, 333
Heron, T. M.
Validation of the industrial source complex dispersion model in a rural setting, 365
Hidy, G. M.
Source-receptor relationships for acid deposition: pure and simple? A critical review, 518
Source-receptor relationships for acid deposition: pure and simple? Critical review discussion papers, 905
Trends in historical acid precursor emissions and their airborne and precipitation products, 333
Hobbs, C. H.
Use of a massive volume air sampler to collect fly ash for biological characterization, 671
Hodanbosi, R. F.
Evaluation of RAM model for Cleveland, Ohio, part II, 371
Hoffnagle, G. F.
Acidic and total primary sulfates: development of emission factors for major stationary combustion sources, 124
Trends in emissions of PM, SO_x and NO_x, and VOC:NO_x ratios and their implications for trends in pH near industrialized areas, 844
Hofschreuder, P.
Feasibility of high volume sampling for determination of total suspended particulate matter and trace metals, 144
Holberg, C. J.
Indoor-outdoor air pollution, allergen and meteorological monitoring in an arid southwest area, 1035
Holcomb, M. L.
Simplified measurement technique for polycyclic aromatic hydrocarbons using the EPA Method 5 sampling train, 156
Horn, R. J.
Performance of dry flue gas desulfurization on a petroleum coke kiln application, 982
Hornig, J. F.
The loss of PAH from quartz fiber high volume filters, 57
Horvath, S. M.
Pulmonary function effects of 1.0 and 2.0 ppm sulfur dioxide exposure in active young male non-smokers, 1117
Hovis, L. S.
Comparison of baghouse test results with the GCA/EPA design model, 872
Howitt, R. E.
Effects of alternative ozone concentrations and response data on economic assessments: the case of California crops, 1122
Husain, L.
Comment on "Erasure of midwestern Mn/V signature in an area of high vanadium concentration" with authors' reply, 548
Hyde, R. W.
Airway reactivity to sulfate and sulfuric acid aerosols in normal and asthmatic subjects, 931
Idso, S. B.
A review of recent reports dealing with the greenhouse effect of atmospheric carbon dioxide, 553
Inman, E. M.
The Hamilton Study: distribution of factors confounding the relationship between air quality and respiratory health, 1039
Irving, P. M.
Commentary on "Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans", 1108
Jacko, R. B.
Simplified measurement technique for polycyclic aromatic hydrocarbons using the EPA Method 5 sampling train, 156
Jacobson, J. S.
Field surveys of vegetation during a period of rising electric power generation in the Ohio River Valley, 48
Jayanty, R. K. M.
A new audit method for EPA reference method 6, 242
Johnson, G. L.
PADRE: a computerized data reduction system for cascade impactor measurements, 655
Kabel, R. L.
Uptake rate of nitrogen dioxide by potato plants, 668
Kaspyzok, G.
Indoor/outdoor ozone concentrations at a contemporary art gallery, 135

Kats, G.
Effects of ozone or sulfur dioxide on annual plants of the Mojave Desert, 1017
Keener, T. C.
Study of the reaction of SO_2 with $NaHCO_3$ and Na_2CO_3, 651
Kelly, J. F.
Validation of the industrial source complex dispersion model in a rural setting, 365
Kerigan, A. T.
The Hamilton Study: distribution of factors confounding the relationship between air quality and respiratory health, 1039
Khalil, M. A. K.
Estimates of air pollution from backyard burning, 661
Kim, Y. S.
Air pollution in the Republic of Korea, 841
Kinney, P. L.
The relationship between cross-sectional and time series studies, 551
Kinsman, J. D.
Acid deposition research in the private sector, 119
Kitagawa, T.
Cause analysis of the Yokkaichi asthma episode in Japan, 743
Kleinman, M. T.
Sulfur dioxide and exercise: relationships between response and absorption in upper airways, 32
Knoll, J. E.
Development of a 24-hour method for analysis of SO_2 and CO_2 from electric utility units equipped with flue gas desulfurization scrubbers, 936
Koehler, J. L.
The relationship between cross-sectional and time series studies, 551
Kohut, R. J.
Assessing impacts of ozone on agricultural crops: I. Overview, 729
Assessing impacts of ozone on agricultural crops: II. Crop yield functions and alternative exposure statistics, 810
Kress, L. W.
Assessing impacts of ozone on agricultural crops: I. Overview, 729
Assessing impacts of ozone on agricultural crops: II. Crop yield functions and alternative exposure statistics, 810
Lamb, B.
Determination of dividing streamline heights and Froude numbers for predicting plume transport in complex terrain, 152
Lamm, R. A.
Hedonics of odors and odor descriptors, 752
Larsen, R. I.
An air quality data analysis system for interrelating effects, standards, and needed source reductions: part 8. An effective mean O_3 crop reduction mathematical model, 1023
Leadbetter, M. R.
Estimation for lognormal data with multiplicative errors, 237
Lebowitz, M. D.
Indoor-outdoor air pollution, allergen and meteorological monitoring in an arid southwest area, 1035
Lefohn, A. S.
Acid rain effects research—a status report, 1005
The computer corner, 6, 104, 202, 324, 458, 616, 714, 796, 894, 1000, 1098, 1184
Leone, I.
TE effects division environmental report, 600, 1085
Lincoln, P.
Formaldehyde levels in New Hampshire urea-formaldehyde foam insulated houses. Relationship to outdoor temperature, 1051
Linn, W. S.
Comparative respiratory effects of ozone and ambient oxidant pollution exposure during heavy exercise, 804
Liu, M.-K.
On the evaluation of predictions from a Gaussian plume model, 1044
Logan, T. J.
A new audit method for EPA reference method 6, 242
Long, C.
Washington report, 452, 614, 712, 794, 892, 998, 1096, 1182
Long, S. J.
A rainfall simulator for laboratory use in acidic precipitation studies, 355
Lowenthal, D. H.
Comment on "Erasure of midwestern Mn/V signature in an area of high vanadium concentration" with authors' reply, 548
Ludwig, F. L.
Transport and diffusion calculations during time- and space-varying meteorological conditions using a microcomputer, 227
Luria, M.
The contribution of city buses to urban air pollution in Jerusalem, Israel, 828
McCready, D. I.
An inexpensive electrostatic charge neutralizer for microsphere nebulizer systems, 1218
McCune, D. C.
Commentary on "Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans", 1112
McFarland, A. R.
A 10 μm cutpoint size selective inlet for hi-vol samplers, 544
Butanol olfactometer for field measurement of ambient odors, 1208
McIlvaine, R. W.
1984 market trends for the air pollution control industry, 222
McKee, H. C.
Source-receptor relationships for acid deposition: pure and simple? Critical review discussion papers, 905
McNaughton, D. J.
Use of currently available precipitation data for regional air quality modeling, 250
McQuaker, N. R.
Determination of coal dust in airborne particulate materials by automated optical microscopy, 1134
Mage, D. T.
Comment on "Measuring air quality levels inexpensively at multiple locations by random sampling" with authors' reply, 952
Pseudo-lognormal distributions, 374
Malm, W. C.
Visibility measurements in national parks in the western United States, 899
Manson, A. R.
Estimation for lognormal data with multiplicative errors, 237
Markowski, G. R.
Trace element loss onto polyethylene container walls from impinger solutions from flue gas sampling, 233
Masurat, T.
Hedonics of odors and odor descriptors, 752
Maughan, A. D.
Observation of heavy metal compounds in suspended particulate matter at East Helena, Montana, 1198
Melamed, D.
Washington report, 4, 102, 200, 322
Midgett, M. R.
A new audit method for EPA reference method 6, 242
Development of a 24-hour method for analysis of SO_2 and CO_2 from electric utility units equipped with flue gas desulfurization scrubbers, 936
Mjelde, J. W.
Using farmers' actions to measure crop loss due to air pollution, 360
Molenar, J. V.
Visibility measurements in national parks in the western United States, 899
Montz, A. C.
Effects of ozone prediction accuracy and choice of chemical mechanism on NMHC control requirements as calculated using EKMA, 747
Moore, G. E.
On the evaluation of predictions from a Gaussian plume model, 1044
Morrow, P. E.
Airway reactivity to sulfate and sulfuric acid aerosols in normal and asthmatic subjects, 931
Morse, H. N.
Bethlehem Steel Corporation v. United States Environmental Protection Agency, 1214
Fitz-Inn Auto Parks, Inc. v. City of Boston, 208
Government of the Virgin Islands, Department of Conservation and Cultural Affairs v. Virgin Islands Paving, Inc., and St. Thomas Quarries, Inc., 787
Kaiser Aluminum and Chemical Corporation v. Pollution Control Hearings Board of the State of Washington, 370
Kerr-McGee Chemical Corporation v. United States Department of the Interior, 95
National Steel Corporation, Great Lakes Steel Division v. United States Environmental Protection Agency, 108
Oregon Environmental Council v. Kunzman, 991
Ross Neely Express, Inc. v. Alabama Department of Environmental Management, 705
Scanlon v. Commonwealth of Pennsylvania, Department of Transportation, 1174
State of Louisiana v. Union Tank Car Company, 607
State of Michigan Air Pollution Control Commission and Department of Treasury and Wayne County Health Department, Air Pollution Control Division v. City of Detroit and Central Wayne County Sanitation Authority, 1089
State of New York v. The United States Environmental Protection Agency, 885
Munz, R. J.
Relationship between solid-solid separation and recovery in electrostatic precipitators, 247
Narasimhan, R.
Size distribution of airborne particulate matter emitted by the front-end processing of municipal solid waste feed material for large-scale anaerobic digesters, 779
Nelson, E. W.
A simple and accurate method for calculation of the standard deviation of the horizontal wind direction, 1139
Nelson, J.
Acid deposition research in the private sector, 119
Nemerow, N. L.
Size distribution of airborne particulate matter emitted by the front-end processing of municipal solid waste feed material for large-scale anaerobic digesters, 779
Neulicht, R. M.
Current and projected impacts of residential wood combustion on pacific northwest air quality, 138
Nochumson, D. H.
Copper smelters and atmospheric visibility in the Southwest, seasonal analysis, 750
Norris, W. B.
Nonstandard applications of the method of expected exceedances, 670
Novakov, T.
The carbon containing component of the Los Angeles aerosol: source apportionment and contributions to the visibility budget, 643
Oeseburg, F.
Feasibility of high volume sampling for determination of total suspended particulate matter and trace metals, 144
Olin, J. G.
At the crossroads, 923
Olivera, J.
Gravimetric determination of mass on lightly loaded membrane filters, 376
Olszyk, D. M.
Effects of ozone or sulfur dioxide on annual plants of the Mojave Desert, 1017
Orem, S. R.
IGCI newsletter, 464
O'Rourke, M. K.
Indoor-outdoor air pollution, allergen and meteorological monitoring in an arid southwest area, 1035
Ortiz, C. A.
A 10 μm cutpoint size selective inlet for hi-vol samplers, 544
Ortiz, J. L.
Elemental composition of airborne particulate matter from Santiago City, Chile, 1976, 54
Ott, W. R.
Comment on "Measuring air quality levels inexpensively at multiple locations by random sampling" with authors' reply, 952
Otto, K.
Nitric oxide formation from fuel nitrogen studied with a pulse-flame combustor, 38
Paur, R. J.
The effect of sampling frequency on aerosol mean values, 839
Pechan, E. H.
Estimates of 1973–1982 annual sulfur oxide emissions from electric utilities, 1075
Peleg, M.
The contribution of city buses to urban air pollution in Jerusalem, Israel, 828
Pell, E. J.
Uptake rate of nitrogen dioxide by potato plants, 668
Pendergrass, W. R., III
An inexpensive electrostatic charge neutralizer for microsphere nebulizer systems, 1218
Pengelly, L. D.
The Hamilton Study: distribution of factors confounding the relationship between air quality and respiratory health, 1039

Pflug, L., Jr.
Dry FGD at United Power Association's Stanton station, 1239
Pitchford, M.
Lake Tahoe visibility study, 213
Pontius, D. H.
Performance of large-diameter wires as discharge electrodes in electrostatic precipitators, 1203
Pratsinis, S.
The carbon containing component of the Los Angeles aerosol: source apportionment and contributions to the visibility budget, 643
Pratt, C. D.
Environmental impact of natural emissions: summary of an APCA international specialty conference, 799
Prendez, M.
Elemental composition of airborne particulate matter from Santiago City, Chile, 1976, 54
Rahall, N. J.
Report on the twelfth APCA government affairs seminar. Congress and the Clean Air Act: the critical issues, 624
Rahn, K. A.
Comment on "Erasure of midwestern Mn/V signature in an area of high vanadium concentration" with authors' reply, 548
Ramer, B.
Indoor/outdoor ozone concentrations at a contemporary art gallery, 135
Rasmussen, R. A.
Estimates of air pollution from backyard burning, 661
Rawlings, J. O.
Assessing impacts of ozone on agricultural crops: I. Overview, 729
Assessing impacts of ozone on agricultural crops: II. Crop yield functions and alternative exposure statistics, 810
Reddell, D. L.
Butanol olfactometer for field measurement of ambient odors, 1208
Reilly, W.
Report on the twelfth APCA government affairs seminar. Congress and the Clean Air Act: the critical issues, 624
Richards, L. W.
Suggested units for quantities related to visibility in the atmosphere, 378
Roby, R. J.
Nitric oxide formation from fuel nitrogen studied with a pulse-flame combustor, 38
Roop, R. N.
Dry FGD at United Power Association's Stanton station, 1239
Ryan, W.
Determination of dividing streamline heights and Froude numbers for predicting plume transport in complex terrain, 152
Salcedo, R. L. R.
Relationship between solid-solid separation and recovery in electrostatic precipitators, 247
Samson, P. J.
The meteorology of acid deposition. A specialty conference summary, 20
Sandberg, D. K.
Determination of coal dust in airborne particulate materials by automated optical microscopy, 1134
Sauls, H. B.
Using the HP-41CV calculator as a data acquisition system for personal carbon monoxide exposure monitors, 954
Sengupta, S.
Size distribution of airborne particulate matter emitted by the front-end processing of municipal solid waste feed material for large-scale anaerobic digesters, 779
Shamoo, D. A.
Comparative respiratory effects of ozone and ambient oxidant pollution exposure during heavy exercise, 804
Sharp, P. G.
International news, 8, 326, 716, 797
Shaw, R. W., Jr.
The effect of sampling frequency on aerosol mean values, 839
Shendrikar, A. D.
Trace element loss onto polyethylene container walls from impinger solutions from flue gas sampling, 233
Showman, R. E.
Field surveys of vegetation during a period of rising electric power generation in the Ohio River Valley, 48
Simpson, R. W.
Comment on "Measuring air quality levels inexpensively at multiple locations by random sampling" with authors' reply, 952
Sinn, J. P.
Uptake rate of nitrogen dioxide by potato plants, 608
Smith, M. V.
The effect of sampling frequency on aerosol mean values, 839
Smith, W. B.
Fabric filter technology for utility coal-fired power plants. Series overview, 79
Fabric filter technology for utility coal-fired power plants. Part I: utility baghouse design and operation, 80
Fabric filter technology for utility coal-fired power plants. Part II: Application of baghouse technology in the electric utility industry, 178
Fabric filter technology for utility coal-fired power plants. Part III: Performance of full-scale utility baghouses, 281
Fabric filter technology for utility coal-fired power plants. Part IV: Pilot-scale and laboratory studies of fabric filter technology for utility applications, 399
Fabric filter technology for utility coal-fired power plants. Part V: Development and evaluation of bag cleaning methods in utility baghouses, 584
Fabric filter technology for utility coal-fired power plants. Part VI: future research, development and demonstration of utility baghouses, 694
Soderberg, R. H.
The loss of PAH from quartz fiber high volume filters, 57
Sorel, J. E.
Butanol olfactometer for field measurement of ambient odors, 1208
Sosa, A.
Substitutes for carbon tetrachloride in the standard ASTM test method for activity of activated carbon, 1215
Sparks, L. E.
Performance of large-diameter wires as discharge electrodes in electrostatic precipitators, 1203
Spence, J. W.
Air pollution damage to exterior household paints, 941
Star, A. M.
Obtaining a Part B permit for hazardous waste incineration, 185
Storks-Cotter, I.
A rainfall simulator for laboratory use in acidic precipitation studies, 355
Streets, D. G.
A regional, new source bubble policy: its advantages illustrated for the state of Illinois, 25
Targeted strategies for control of acidic deposition, 1187
Summers, P. w.
Source-receptor relationships for acid deposition: pure and simple? Critical review discussion papers, 905
Sweeten, J. M.
Butanol olfactometer for field measurement of ambient odors, 1208
Tabler, S. K.
EPA's program for establishing national emission standards for hazardous air pollutants, 532
Tatsch, C. E.
PADRE: a computerized data reduction system for cascade impactor measurements, 655
Temple, P. J.
Assessing impacts of ozone on agricultural crops: I. Overview, 729
Assessing impacts of ozone on agricultural crops: II. Crop yield functions and alternative exposure statistics, 810
Thompson, C. R.
Effects of ozone or sulfur dioxide on annual plants of the Mojave Desert, 1017
Thompson, K. H.
Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans, 1107
Troiano, J.
Commentary on "Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans", 1112
Trumka, R. L.
Report on the twelfth APCA government affairs seminar. Congress and the Clean Air Act: the critical issues, 624
Tschinkel, V.
Report on the twelfth APCA government affairs seminar. Congress and the Clean Air Act: the critical issues, 624
Underhill, D.
Substitutes for carbon tetrachloride in the standard ASTM test method for activity of activated carbon, 1215
Utell, M. J.
Airway reactivity to sulfate and sulfuric acid aerosols in normal and asthmatic subjects, 931
van der Meulen, A.
Feasibility of high volume sampling for determination of total suspended particulate matter and trace metals, 144
van de Vate, J. F.
Feasibility of high volume sampling for determination of total suspended particulate matter and trace metals, 144
Vann Bush, P.
Performance of large-diameter wires as discharge electrodes in electrostatic precipitators, 1203
Venet, T. G.
Comparative respiratory effects of ozone and ambient oxidant pollution exposure during heavy exercise, 804
Viner, A. S.
Comparison of baghouse test results with the GCA/EPA design model, 872
Vinig, Z.
The contribution of city buses to urban air pollution in Jerusalem, Israel, 828
Violette, D. M.
Comment on "Decision problems in the control of acid precipitation: nonconvexities and irreversibilities" with authors' reply, 42
Walsh, M.
Report on the twelfth APCA government affairs seminar. Congress and the Clean Air Act: the critical issues, 624
Watson, J. G.
Overview of receptor model principles, 619
Weaver, H. B.
MVMA newsletter, 106, 460, 1105
Webber, J. S.
Comment on "Erasure of midwestern Mn/V signature in an area of high vanadium concentration" with authors' reply, 548
Weil, J. C.
An updated Gaussian plume model for tall stacks, 818
Werner, E. K.
Report on the twelfth APCA government affairs seminar. Congress and the Clean Air Act: the critical issues, 624
Wetstone, G. S.
National recourses for international pollution: Towards a United States, Canada solution, 111
White, H. J.
The art and the science of electrostatic precipitation, 1163
Williams, M. D.
Copper smelters and atmospheric visibility in the Southwest, seasonal analysis, 750
Williams, P. C.
Data handling, simultaneity, and rare events, 945
Wilson, J. H., Jr.
Estimates of 1973–1982 annual sulfur oxide emissions from electric utilities, 1075
Winner, W. E.
A rainfall simulator for laboratory use in acidic precipitation studies, 355
Wisniewski, J.
Acid deposition research in the private sector, 119
Wolf, J. W.
Effects of ozone or sulfur dioxide on annual plants of the Mojave Desert, 1017
Wolff, G. T.
Source-receptor relationships for acid deposition: pure and simple? Critical review discussion papers, 905
Wong, K. V.
Size distribution of airborne particulate matter emitted by the front-end processing of municipal solid waste feed material for large-scale anaerobic digesters, 779
Yang, Y. S.
A rainfall simulator for laboratory use in acidic precipitation studies, 355
Yeager, W. M.
PADRE: a computerized data reduction system for cascade impactor measurements, 655
York, T.
EPRI newsletter, 10, 330, 718, 1002
Yung, S-C
Performance of gas-atomized spray scrubbers at high pressure, 736
Zamurs, J.
Assessing the effect of transportation control strategies on urban carbon monoxide concentrations, 637
Zaragoza, L. J.
Assessing impacts of ozone on agricultural crops: I. Overview, 729
Assessing impacts of ozone on agricultural crops: II. Crop yield functions and alternative exposure statistics, 810

SUBJECT INDEX

Absorption
Development of a 24-hour method for analysis of SO_2 and CO_2 from electric utility units equipped with flue gas desulfurization scrubbers, 936

Acidity
Trace element loss onto polyethylene container walls from impinger solutions from flue gas sampling, 233
Trends in emissions of PM, SO_x and NO_x, and VOC:NO_x ratios and their implications for trends in pH near industrialized areas, 844

Acid Precipitation
Acid deposition research in the private sector, 119
Acidic and total primary sulfates: development of emission factors for major stationary combustion sources, 124
Acid rain effects research--a status report, 1005
A rainfall simulator for laboratory use in acidic precipitation studies, 355
A study of marble deterioration at City Hall, Schenectady, New York, 15
Canada's clean air requirements: how they compare with the U.S. Clean Air Act, 60
Commentary on "Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans", 1108, 1112
Comment on "Decision problems in the control of acid precipitation: nonconvexities and irreversibilities" with authors' reply, 42
Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans, 1107
Doubling of federal research effort in acid rain requested by president for fiscal year 1985, 254
National Acid Precipitation Assessment Program issues second annual report, 850
Report on the twelfth APCA government affairs seminar. Congress and the Clean Air Act: the critical issues, 624
Source-receptor relationships for acid deposition: pure and simple? A critical review, 518
Source-receptor relationships for acid deposition: pure and simple? Critical review discussion papers, 905
Targeted strategies for control of acidic deposition, 1187
The meteorology of acid deposition. A specialty conference summary, 20
Trends in historical acid precursor emissions and their airborne and precipitation products, 333

Activated Carbon
Substitutes for carbon tetrachloride in the standard ASTM test method for activity of activated carbon, 1215

Additives
Nitric oxide formation from fuel nitrogen studied with a pulse-flame combustor, 38
Study of the reaction of SO_2 with $NaHCO_3$ and Na_2CO_3, 651

Adsorption
Simplified measurement technique for polycyclic aromatic hydrocarbons using the EPA Method 5 sampling train, 156
Substitutes for carbon tetrachloride in the standard ASTM test method for activity of activated carbon, 1215
Trace element loss onto polyethylene container walls from impinger solutions from flue gas sampling, 233

Aerosols
See also Particulates
Airway reactivity to sulfate and sulfuric acid aerosols in normal and asthmatic subjects, 931
Observation of heavy metal compounds in suspended particulate matter at East Helena, Montana, 1198
The carbon containing component of the Los Angeles aerosol: source apportionment and contributions to the visibility budget, 643
The effect of sampling frequency on aerosol mean values, 839

Agencies
National recourses for international pollution: Towards a United States, Canada solution, 111

Agricultural Aspects
Assessing impacts of ozone on agricultural crops: I. Overview, 729
Assessing impacts of ozone on agricultural crops: II. Crop yield functions and alternative exposure statistics, 810
Effects of alternative ozone concentrations and response data on economic assessments: the case of California crops, 1122

Agricultural Sources
Butanol olfactometer for field measurement of ambient odors, 1208

Agriculture
Using farmers' actions to measure crop loss due to air pollution, 360

Air Pollution
Air pollution damage to exterior household paints, 941
Air pollution in the Republic of Korea, 841

Air Pollution Control Association
A corporate view of environmental issues, 920
APCA financial statements for FY 1983–84, 925
APCA honors four individuals and three sections in 1984 awards program, 929
At the crossroads, 923
Guide to the 76th APCA annual meeting and exhibition, 467
Regulatory aspects of toxic air pollutants, 927
Report on the twelfth APCA government affairs seminar. Congress and the Clean Air Act: the critical issues, 624
77th Annual Meeting and Exhibition: a summary of activities, 920

Air Quality
Air quality improved in most U.S. cities according to National Wildlife Federation index, 380
Comment on "Measuring air quality levels inexpensively at multiple locations by random sampling" with authors' reply, 952

Air Quality Modeling
Use of currently available precipitation data for regional air quality modeling, 250

Air Quality Models
On the evaluation of predictions from a Gaussian plume model, 1044

ALAPCO
The air administrators, 204, 618

Aldehydes
Pollutant emission factors for the vegetable oil industry, 52

Alkalinity
Comment on "Decision problems in the control of acid precipitation: nonconvexities and irreversibilities" with authors' reply, 42
Trends in emissions of PM, SO_x and NO_x, and VOC:NO_x ratios and their implications for trends in pH near industrialized areas, 844

Allergens
Indoor-outdoor air pollution, allergen and meteorological monitoring in an arid southwest area, 1035

Ambient Air
Comparative respiratory effects of ozone and ambient oxidant pollution exposure during heavy exercise, 804
Hydrocarbons and carbonyls in Los Angeles air, 537
Indoor/outdoor ozone concentrations at a contemporary art gallery, 135

Analytical Methods
Gravimetric determination of mass on lightly loaded membrane filters, 376
The loss of PAH from quartz fiber high volume filters, 57

Animal Studies
Sulfur dioxide and exercise: relationships between response and absorption in upper airways, 32

Arizona
Indoor-outdoor air pollution, allergen and meteorological monitoring in an arid southwest area, 1035

Art Galleries
Indoor/outdoor ozone concentrations at a contemporary art gallery, 135

Asthma
Airway reactivity to sulfate and sulfuric acid aerosols in normal and asthmatic subjects, 931
Cause analysis of the Yokkaichi asthma episode in Japan, 743
Sulfur dioxide and exercise: relationships between response and absorption in upper airways, 32

Atmospheric Stability
Improving plume rise prediction accuracy for stable atmospheres with complex vertical structure, 1128

Attainment
Nonstandard applications of the method of expected exceedances, 670

Auditor's Report
APCA financial statements for FY 1983–84, 925

Automotive Emissions
Lake Tahoe visibility study, 213

Automotive Exhaust
Assessing the effect of transportation control strategies on urban carbon monoxide concentrations, 637
Feasibility of high volume sampling for determination of total suspended particulate matter and trace metals, 144
The carbon containing component of the Los Angeles aerosol: source apportionment and contributions to the visibility budget, 643
The contribution of city buses to urban air pollution in Jerusalem, Israel, 828
Using the HP-41CV calculator as a data acquisition system for personal carbon monoxide exposure monitors, 954

Automotive Exhaust, Analysis
Nitric oxide formation from fuel nitrogen studied with a pulse-flame combustor, 38

Backfitting
Backfitting electrostatic precipitators: gas velocity and reliability considerations, 664

Bag Filters
Fabric filter technology for utility coal-fired power plants. Series overview, 79
Fabric filter technology for utility coal-fired power plants. Part I: utility baghouse design and operation, 80
Fabric filter technology for utility coal-fired power plants. Part II: Application of baghouse technology in the electric utility industry, 178
Fabric filter technology for utility coal-fired power plants. Part III: Performance of full-scale utility baghouses, 281
Fabric filter technology for utility coal-fired power plants. Part IV: Pilot-scale and laboratory studies of fabric filter technology for utility applications, 399
Fabric filter technology for utility coal-fired power plants. Part V: Development and evaluation of bag cleaning methods in utility baghouses, 584
Fabric filter technology for utility coal-fired power plants. Part VI: future research, development and demonstration of utility baghouses, 694

Baghouses
Comparison of baghouse test results with the GCA/EPA design model, 872
Fabric filter technology for utility coal-fired power plants. Series overview, 79
Fabric filter technology for utility coal-fired power plants. Part I: utility baghouse design and operation, 80
Fabric filter technology for utility coal-fired power plants. Part II: Application of baghouse technology in the electric utility industry, 178
Fabric filter technology for utility coal-fired power plants. Part III: Performance of full-scale utility baghouses, 281

Fabric filter technology for utility coal-fired power plants. Part IV: Pilot-scale and laboratory studies of fabric filter technology for utility applications, 399
Fabric filter technology for utility coal-fired power plants. Part V: Development and evaluation of bag cleaning methods in utility baghouses, 584
Fabric filter technology for utility coal-fired power plants. Part VI: future research, development and demonstration of utility baghouses, 694
Rotary filters: proposals for efficient industrial dust collection systems, 777

Biological Indicators
Use of a massive volume air sampler to collect fly ash for biological characterization, 671
Using farmers' actions to measure crop loss due to air pollution, 360

Bubble Policy
A regional, new source bubble policy: its advantages illustrated for the state of Illinois, 25
Comparing PAL and ISC-ST when applied to a line source, 56

Building Materials
Air pollution damage to exterior household paints, 941
Formaldehyde levels in New Hampshire urea-formaldehyde foam insulated houses. Relationship to outdoor temperature, 1051

Buildings
A study of marble deterioration at City Hall, Schenectady, New York, 15
Indoor/outdoor ozone concentrations at a contemporary art gallery, 135

Burning
Estimates of air pollution from backyard burning, 661

Butanol
Butanol olfactometer for field measurement of ambient odors, 1208

California
Effects of alternative ozone concentrations and response data on economic assessments: the case of California crops, 1122

Canada
1984 Directory of governmental air pollution control agencies, 419
National recourses for international pollution: Towards a United States, Canada solution, 111

Carbon
The carbon containing component of the Los Angeles aerosol: source apportionment and contributions to the visibility budget, 643

Carbon Dioxide
A review of recent reports dealing with the greenhouse effect of atmospheric carbon dioxide, 553
Development of a 24-hour method for analysis of SO_2 and CO_2 from electric utility units equipped with flue gas desulfurization scrubbers, 936

Carbon Monoxide
Assessing the effect of transportation control strategies on urban carbon monoxide concentrations, 637
Indoor-outdoor air pollution, allergen and meteorological monitoring in an arid southwest area, 1035
The contribution of city buses to urban air pollution in Jerusalem, Israel, 828
Using the HP-41CV calculator as a data acquisition system for personal carbon monoxide exposure monitors, 954

Carbon Tetrachloride
Substitutes for carbon tetrachloride in the standard ASTM test method for activity of activated carbon, 1215

Carbonyls
Hydrocarbons and carbonyls in Los Angeles air, 537

Careers
Worldwide training in air pollution control, 721

Cascade Impactor
PADRE: a computerized data reduction system for cascade impactor measurements, 655

Cause Analysis
Cause analysis of the Yokkaichi asthma episode in Japan, 743

Chemical Aspects
Effects of ozone prediction accuracy and choice of chemical mechanism on NMHC control requirements as calculated using EKMA, 747

Chemical Reactions
A new audit method for EPA reference method 6, 242
A study of marble deterioration at City Hall, Schenectady, New York, 15
Hydrocarbons and carbonyls in Los Angeles air, 537
Study of the reaction of SO_2 with $NaHCO_3$ and Na_2CO_3, 651

Chile
Elemental composition of airborne particulate matter from Santiago City, Chile, 1976, 54

China, People's Republic of
Air quality technical information exchange to the People's Republic of China, 726

Chromatographic Analysis
A study of marble deterioration at City Hall, Schenectady, New York, 15

Classification
Elemental composition of airborne particulate matter from Santiago City, Chile, 1976, 54

Clean Air Act
Canada's clean air requirements; how they compare with the U.S. Clean Air Act, 60
EPA's program for establishing national emission standards for hazardous air pollutants, 532
National recourses for international pollution: Towards a United States, Canada solution, 111

Cleveland, Ohio
Evaluation of RAM model for Cleveland, Ohio, part II, 371

Coal
A regional, new source bubble policy: its advantages illustrated for the state of Illinois, 25
Determination of coal dust in airborne particulate materials by automated optical microscopy, 1134
Report on the twelfth APCA government affairs seminar. Congress and the Clean Air Act: the critical issues, 624
Surface mine pit retention, 674

Coal Combustion
Field surveys of vegetation during a period of rising electric power generation in the Ohio River Valley, 48
Nonstandard applications of the method of expected exceedances, 670

Coal-Fired Boilers
Fabric filter technology for utility coal-fired power plants. Series overview, 79
Fabric filter technology for utility coal-fired power plants. Part I: utility baghouse design and operation, 80
Fabric filter technology for utility coal-fired power plants. Part II: Application of baghouse technology in the electric utility industry, 178
Fabric filter technology for utility coal-fired power plants. Part III: Performance of full-scale utility baghouses, 281
Fabric filter technology for utility coal-fired power plants. Part IV: Pilot-scale and laboratory studies of fabric filter technology for utility applications, 399
Fabric filter technology for utility coal-fired power plants. Part V: Development and evaluation of bag cleaning methods in utility baghouses, 584
Fabric filter technology for utility coal-fired power plants. Part VI: future research, development and demonstration of utility baghouses, 694
Trace element loss onto polyethylene container walls from impinger solutions from flue gas sampling, 233

Coal-Fired Equipment
Estimates of 1973–1982 annual sulfur oxide emissions from electric utilities, 1075

Coal Gasification
Nonstandard applications of the method of expected exceedances, 670
Performance of gas-atomized spray scrubbers at high pressure, 736

Coke Ovens
Performance of dry flue gas desulfurization on a petroleum coke kiln application, 982

Collection Efficiency
Performance of gas-atomized spray scrubbers at high pressure, 736
Relationship between solid-solid separation and recovery in electrostatic precipitators, 247
The art and the science of electrostatic precipitation, 1163

College Programs
Worldwide training in air pollution control, 721

Combustion
Acidic and total primary sulfates: development of emission factors for major stationary combustion sources, 124
Nitric oxide formation from fuel nitrogen studied with a pulse-flame combustor, 38
Obtaining a Part B permit for hazardous waste incineration, 185
Performance of dry flue gas desulfurization on a petroleum coke kiln application, 982

Compliance
A regional, new source bubble policy: its advantages illustrated for the state of Illinois, 25

Computer Applications
A basic computer program for the Gaussian equation for a point source, 253
An interactive graphics method for use in highway air quality analysis, 1137
A simple and accurate method for calculation of the standard deviation of the horizontal wind direction, 1139
Determination of coal dust in airborne particulate materials by automated optical microscopy, 1134
PADRE: a computerized data reduction system for cascade impactor measurements, 655
Transport and diffusion calculations during time- and space-varying meteorological conditions using a microcomputer, 227

Computer Graphics
An interactive graphics method for use in highway air quality analysis, 1137

Concentration Distribution
Comment on "Erasure of midwestern Mn/V signature in an area of high vanadium concentration" with authors' reply, 548
On the evaluation of predictions from a Gaussian plume model, 1044
Source-receptor relationships for acid deposition: pure and simple? A critical review, 518
Source-receptor relationships for acid deposition: pure and simple? Critical review discussion papers, 905

Concentration Distributions
An updated Gaussian plume model for tall stacks, 818

Conferences
Environmental impact of natural emissions: summary of an APCA international specialty conference, 799
Guide to the 76th APCA annual meeting and exhibition, 467
Regulatory aspects of toxic air pollutants, 927
Report on the twelfth APCA government affairs seminar. Congress and the Clean Air Act: the critical issues, 624
77th Annual Meeting and Exhibition: a summary of activities, 920
The meteorology of acid deposition. A specialty conference summary, 20

Consultants
Consultant guide, 1985, 1247

Control Agnecies
1984 Directory of governmental air pollution control agencies, 419

Control Strategies
Acid rain effects research—a status report, 1005
Assessing the effect of transportation control strategies on urban carbon monoxide concentrations, 637
Targeted strategies for control of acidic deposition, 1187

Control Technology News Department
Comparison of baghouse test results with the GCA/EPA design model, 872
Dry FGD at United Power Association's Stanton station, 1239
Environmental and energy awards presented by paper and solid forest products associations, 1078
Estimates of 1973–1982 annual sulfur oxide emissions from electric utilities, 1075
Fabric filter technology for utility coal-fired power plants. Series overview, 79
Fabric filter technology for utility coal-fired power plants. Part I: utility baghouse design and operation, 80
Fabric filter technology for utility coal-fired power plants. Part II: Application of baghouse technology in the electric utility industry, 178
Fabric filter technology for utility coal-fired power plants. Part III: Performance of full-scale utility baghouses, 281
Fabric filter technology for utility coal-fired power plants. Part IV: Pilot-scale and laboratory studies of fabric filter technology for utility applications, 399
Fabric filter technology for utility coal-fired power plants. Part V: Development and evaluation of bag cleaning methods in utility baghouses, 584
Fabric filter technology for utility coal-fired power plants. Part VI: future research, development and demonstration of utility baghouses, 694
Obtaining a Part B permit for hazardous waste incineration, 185

Performance of dry flue gas desulfurization on a petroleum coke kiln application, 982
Rotary filters: proposals for efficient industrial dust collection systems, 777
Size distribution of airborne particulate matter emitted by the front-end processing of municipal solid waste feed material for large-scale anaerobic digesters, 779

Convective Layers
An updated Gaussian plume model for tall stacks, 818

Copper
Copper smelters and atmospheric visibility in the Southwest, seasonal analysis, 750

Cost Analysis
A regional, new source bubble policy: its advantages illustrated for the state of Illinois, 25

Cost-Benefit Analysis
Comment on "Decision problems in the control of acid precipitation: nonconvexities and irreversibilities" with authors' reply, 42

Costs
Bureau of Census reports pollution abatement expenditures and operating costs for 1982, 676
Comment on "Measuring air quality levels inexpensively at multiple locations by random sampling" with authors' reply, 952
EPA releases 1984 report on the cost of clean air and clean water, 1056

Critical Reviews
Source-receptor relationships for acid deposition: pure and simple? Critical review discussion papers, 905

Crop Damage
Uptake rate of nitrogen dioxide by potato plants, 668

Crop Loss
Using farmers' actions to measure crop loss due to air pollution, 360

Crop Reduction
An air quality data analysis system for interrelating effects, standards, and needed source reductions: part 8. An effective mean O_3 crop reduction mathematical model, 1023

Crops
Commentary on "Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans", 1108, 1112
Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans, 1107

Crop Yield
A review of recent reports dealing with the greenhouse effect of atmospheric carbon dioxide, 553
Assessing impacts of ozone on agricultural crops: I. Overview, 729
Assessing impacts of ozone on agricultural crops: II. Crop yield functions and alternative exposure statistics, 810
Effects of alternative ozone concentrations and response data on economic assessments: the case of California crops, 1122

Data Analysis
An air quality data analysis system for interrelating effects, standards, and needed source reductions: part 8. An effective mean O_3 crop reduction mathematical model, 1023
Data handling, simultaneity, and rare events, 945
Discrepancies in annual concentrations between long-term and short-term modeling techniques, 846
Estimation for lognormal data with multiplicative errors, 237
Lake Tahoe visibility study, 213
On the evaluation of predictions from a Gaussian plume model, 1044
PADRE: a computerized data reduction system for cascade impactor measurements, 655
Pseudo-lognormal distributions, 374
Suggested units for quantities related to visibility in the atmosphere, 378
Transport and diffusion calculations during time- and space-varying meteorological conditions using a microcomputer, 227
Trends in historical acid precursor emissions and their airborne and precipitation products, 333
Use of currently available precipitation data for regional air quality modeling, 250

Data Recording Systems
PADRE: a computerized data reduction system for cascade impactor measurements, 655
Using the HP-41CV calculator as a data acquisition system for personal carbon monoxide exposure monitors, 954

Deposition
Acid deposition research in the private sector, 119
Acidic and total primary sulfates: development of emission factors for major stationary combustion sources, 124
Acid rain effects research—a status report, 1005
A study of marble deterioration at City Hall, Schenectady, New York, 15
Comment on "Decision problems in the control of acid precipitation: nonconvexities and irreversibilities" with authors' reply, 42
Kaiser Aluminum and Chemical Corporation v. Pollution Control Hearings Board of the State of Washington, 370
Source-receptor relationships for acid deposition: pure and simple? A critical review, 518
Source-receptor relationships for acid deposition: pure and simple? Critical review discussion papers, 905
Targeted strategies for control of acidic deposition, 1187
The meteorology of acid deposition. A specialty conference summary, 20
Trends in historical acid precursor emissions and their airborne and precipitation products, 333

Dichotomous Samplers
Gravimetric determination of mass on lightly loaded membrane filters, 376

Diffraction
Particle source assessment using wind-switched high volume samplers and x-ray diffraction analysis, 1052

Diffusion
Transport and diffusion calculations during time- and space-varying meteorological conditions using a microcomputer, 227

Dispersion Modeling
A Basic computer program for the Gaussian equation for a point source, 253
A simple and accurate method for calculation of the standard deviation of the horizontal wind direction, 1139
Determination of dividing streamline heights and Froude numbers for predicting plume transport in complex terrain, 152
Evaluation of RAM model for Cleveland, Ohio, part II, 371
Nonstandard applications of the method of expected exceedances, 670
Surface mine pit retention, 674
Validation of the industrial source complex dispersion model in a rural setting, 365

Dispersion Models
An interactive graphics method for use in highway air quality analysis, 1137
Comparing PAL and ISC-ST when applied to a line source, 56
Copper smelters and atmospheric visibility in the Southwest, seasonal analysis, 750

Dose-Response Relationship
Assessing impacts of ozone on agricultural crops: I. Overview, 729
Comment on "Decision problems in the control of acid precipitation: nonconvexities and irreversibilities" with authors' reply, 42
Sulfur dioxide and exercise: relationships between response and absorption in upper airways, 32

Dose-Response Relationships
Assessing impacts of ozone on agricultural crops: II. Crop yield functions and alternative exposure statistics, 810
Effects of alternative ozone concentrations and response data on economic assessments: the case of California crops, 1122
The relationship between cross-sectional and time series studies, 551

Droplet Dynamics
A rainfall simulator for laboratory use in acidic precipitation studies, 355
Performance of gas-atomized spray scrubbers at high pressure, 736

Dust
Determination of coal dust in airborne particulate materials by automated optical microscopy, 1134
Rotary filters: proposals for efficient industrial dust collection systems, 777
Surface mine pit retention, 674
Validation of the industrial source complex dispersion model in a rural setting, 365

Dust Cake
Comparison of baghouse test results with the GCA/EPA design model, 872
Fabric filter technology for utility coal-fired power plants. Series overview, 79
Fabric filter technology for utility coal-fired power plants. Part I: utility baghouse design and operation, 80
Fabric filter technology for utility coal-fired power plants. Part II: Application of baghouse technology in the electric utility industry, 178
Fabric filter technology for utility coal-fired power plants. Part III: Performance of full-scale utility baghouses, 281
Fabric filter technology for utility coal-fired power plants. Part IV: Pilot-scale and laboratory studies of fabric filter technology for utility applications, 399
Fabric filter technology for utility coal-fired power plants. Part V: Development and evaluation of bag cleaning methods in utility baghouses, 584
Fabric filter technology for utility coal-fired power plants. Part VI: future research, development and demonstration of utility baghouses, 694
Rotary filters: proposals for efficient industrial dust collection systems, 777

Ecological Effects
Acid rain effects research—a status report, 1005

Economic Aspects
Comment on "Decision problems in the control of acid precipitation: nonconvexities and irreversibilities" with authors' reply, 42
Effects of alternative ozone concentrations and response data on economic assessments: the case of California crops, 1122
Using farmers' actions to measure crop loss due to air pollution, 360

Education
Worldwide training in air pollution control, 721

Electric Power Plants
See also Power Plants
Development of a 24-hour method for analysis of SO_2 and CO_2 from electric utility units equipped with flue gas desulfurization scrubbers, 936
Estimates of 1973–1982 annual sulfur oxide emissions from electric utilities, 1075
Fabric filter technology for utility coal-fired power plants. Series overview, 79
Fabric filter technology for utility coal-fired power plants. Part I: utility baghouse design and operation, 80
Fabric filter technology for utility coal-fired power plants. Part II: Application of baghouse technology in the electric utility industry, 178
Fabric filter technology for utility coal-fired power plants. Part III: Performance of full-scale utility baghouses, 281
Fabric filter technology for utility coal-fired power plants. Part IV: Pilot-scale and laboratory studies of fabric filter technology for utility applications, 399
Fabric filter technology for utility coal-fired power plants. Part V: Development and evaluation of bag cleaning methods in utility baghouses, 584
Fabric filter technology for utility coal-fired power plants. Part VI: future research, development and demonstration of utility baghouses, 694
Field surveys of vegetation during a period of rising electric power generation in the Ohio River Valley, 48

Electric Power Research Institute
Fabric filter technology for utility coal-fired power plants. Part III: Performance of full-scale utility baghouses, 281
Fabric filter technology for utility coal-fired power plants. Part IV: Pilot-scale and laboratory studies of fabric filter technology for utility applications, 399
Fabric filter technology for utility coal-fired power plants. Part V: Development and evaluation of bag cleaning methods in utility baghouses, 584
Fabric filter technology for utility coal-fired power plants. Part VI: future research, development and demonstration of utility baghouses, 694

Electric Power Research Institute (EPRI)
Fabric filter technology for utility coal-fired power plants. Series overview, 79
Fabric filter technology for utility coal-fired power plants. Part I: utility baghouse design and operation, 80
Fabric filter technology for utility coal-fired power plants. Part II: Application of baghouse technology in the electric utility industry, 178

Electron Microscopy
A study of marble deterioration at City Hall, Schenectady, New York, 15
Validation of the industrial source complex dispersion model in a rural setting, 365

Electrostatic Precipitation
A method for predicting the effective volume resistivity of a sodium depleted fly ash layer, 832
Relationship between solid-solid separation and recovery in electrostatic precipitators, 247
The art and the science of electrostatic precipitation, 1163
Electrostatic Precipitators
Backfitting electrostatic precipitators: gas velocity and reliability considerations, 664
Performance of large-diameter wires as discharge electrodes in electrostatic precipitators, 1203
Electrostatics
An inexpensive electrostatic charge neutralizer for microsphere nebulizer systems, 1218
Elemental Analysis
Observation of heavy metal compounds in suspended particulate matter at East Helena, Montana, 1198
Particle source assessment using wind-switched high volume samplers and x-ray diffraction analysis, 1052
Emission Data
Estimates of 1973–1982 annual sulfur oxide emissions from electric utilities, 1075
Pollutant emission factors for the vegetable oil industry, 52
Emission Fees
State of Michigan Air Pollution Control Commission and Department of Treasury and Wayne County Health Department, Air Pollution Control Division v. City of Detroit and Central Wayne County Sanitation Authority, 1089
Emission Impacts
Current and projected impacts of residential wood combustion on pacific northwest air quality, 138
Emission Inventories
Acidic and total primary sulfates: development of emission factors for major stationary combustion sources, 124
Hydrocarbons and carbonyls in Los Angeles air, 537
The carbon containing component of the Los Angeles aerosol: source apportionment and contributions to the visibility budget, 643
Trends in emissions of PM, SO_x and NO_x, and VOC:NO_x ratios and their implications for trends in pH near industrialized areas, 844
Trends in historical acid precursor emissions and their airborne and precipitation products, 333
Validation of the industrial source complex dispersion model in a rural setting, 365
Emissions
Trends in historical acid precursor emissions and their airborne and precipitation products, 333
Emissions Control
Source-receptor relationships for acid deposition: pure and simple? A critical review, 518
Source-receptor relationships for acid deposition: pure and simple? Critical review discussion papers, 905
Emission Standards
Comparing PAL and ISC-ST when applied to a line source, 56
Empirical Kinetic Modeling Approach (EKMA)
Effects of ozone prediction accuracy and choice of chemical mechanism on NMHC control requirements as calculated using EKMA, 747
Energy
Estimates of 1973–1982 annual sulfur oxide emissions from electric utilities, 1075
Energy Conservation
Indoor/outdoor ozone concentrations at a contemporary art gallery, 135
England
Indoor/outdoor ozone concentrations at a contemporary art gallery, 135
Environmental Protection Agency
A new audit method for EPA reference method 6, 242
A regional, new source bubble policy: its advantages illustrated for the state of Illinois, 25
Comparison of baghouse test results with the GCA/EPA design model, 872
Development of a 24-hour method for analysis of SO_2 and CO_2 from electric utility units equipped with flue gas desulfurization scrubbers, 936
1984 Directory of governmental air pollution control agencies, 419
EPA releases 1984 report on the cost of clean air and clean water, 1056
EPA's hazardous air pollutant policy, 455
EPA's program for establishing national emission standards for hazardous air pollutants, 532
National recourses for international pollution: Towards a United States, Canada solution, 111
Obtaining a Part B permit for hazardous waste incineration, 185
Report on the twelfth APCA government affairs seminar. Congress and the Clean Air Act: the critical issues, 624
Simplified measurement technique for polycyclic aromatic hydrocarbons using the EPA Method 5 sampling train, 156
Environmental Protection Service (Canada)
1984 Directory of governmental air pollution control agencies, 419
National recourses for international pollution: Towards a United States, Canada solution, 111
Epidemiological Aspects
The Hamilton Study: distribution of factors confounding the relationship between air quality and respiratory health, 1039
Epidemiology
Cause analysis of the Yokkaichi asthma episode in Japan, 743
The relationship between cross-sectional and time series studies, 551
Episodes
Comment on "Erasure of midwestern Mn/V signature in an area of high vanadium concentration" with authors' reply, 548
Equipment
A 10 μm cutpoint size selective inlet for hi-vol samplers, 544
A review of personal/portable monitors and samplers for airborne particles, 1014
Backfitting electrostatic precipitators: gas velocity and reliability considerations, 664
1984 market trends for the air pollution control industry, 222
Product guide/1984, 301
The computer corner, 1000
Equipment, Design
An inexpensive electrostatic charge neutralizer for microsphere nebulizer systems, 1218
Backfitting electrostatic precipitators: gas velocity and reliability considerations, 664
Performance of large-diameter wires as discharge electrodes in electrostatic precipitators, 1203
The art and the science of electrostatic precipitation, 1163
Equipment Design
Fabric filter technology for utility coal-fired power plants. Series overview, 79
Fabric filter technology for utility coal-fired power plants. Part I: utility baghouse design and operation, 80
Essays
The art and the science of electrostatic precipitation, 1163
Estimation
An air quality data analysis system for interrelating effects, standards, and needed source reductions: part 8. An effective mean O_3 crop reduction mathematical model, 1023
A simple and accurate method for calculation of the standard deviation of the horizontal wind direction, 1139
Data handling, simultaneity, and rare events, 945
Estimates of 1973–1982 annual sulfur oxide emissions from electric utilities, 1075
Transport and diffusion calculations during time- and space-varying meteorological conditions using a microcomputer, 227
Exceedances
Nonstandard applications of the method of expected exceedances, 670
Exercise
Comparative respiratory effects of ozone and ambient oxidant pollution exposure during heavy exercise, 804
Pulmonary function effects of 1.0 and 2.0 ppm sulfur dioxide exposure in active young male non-smokers, 1117
Sulfur dioxide and exercise: relationships between response and absorption in upper airways, 34
Experimental Design
Commentary on "Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans", 1108, 1112
Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans, 1107
Experimental Techniques
A method for predicting the effective volume resistivity of a sodium depleted fly ash layer, 832
A new audit method for EPA reference method 6, 242
A rainfall simulator for laboratory use in acidic precipitation studies, 355
Fabric filter technology for utility coal-fired power plants. Part IV: Pilot-scale and laboratory studies of fabric filter technology for utility applications, 399
Exposure Statistics
Assessing impacts of ozone on agricultural crops: I. Overview, 729
Assessing impacts of ozone on agricultural crops: II. Crop yield functions and alternative exposure statistics, 810
Exposure Tests
Using the HP-41CV calculator as a data acquisition system for personal carbon monoxide exposure monitors, 954
Extinction
Lake Tahoe visibility study, 213
Suggested units for quantities related to visibility in the atmosphere, 378
The carbon containing component of the Los Angeles aerosol: source apportionment and contributions to the visibility budget, 643
Fabric Filters
Comparison of baghouse test results with the GCA/EPA design model, 872
Fabric filter technology for utility coal-fired power plants. Series overview, 79
Fabric filter technology for utility coal-fired power plants. Part I: utility baghouse design and operation, 80
Fabric filter technology for utility coal-fired power plants. Part II: Application of baghouse technology in the electric utility industry, 178
Fabric filter technology for utility coal-fired power plants. Part III: Performance of full-scale utility baghouses, 281
Fabric filter technology for utility coal-fired power plants. Part IV: Pilot-scale and laboratory studies of fabric filter technology for utility applications, 399
Fabric filter technology for utility coal-fired power plants. Part V: Development and evaluation of bag cleaning methods in utility baghouses, 584
Fabric filter technology for utility coal-fired power plants. Part VI: future research, development and demonstration of utility baghouses, 694
Rotary filters: proposals for efficient industrial dust collection systems, 777
Fiber Filters
Fabric filter technology for utility coal-fired power plants. Series overview, 79
Fabric filter technology for utility coal-fired power plants. Part I: utility baghouse design and operation, 80
Fabric filter technology for utility coal-fired power plants. Part II: Application of baghouse technology in the electric utility industry, 178
Fabric filter technology for utility coal-fired power plants. Part III: Performance of full-scale utility baghouses, 281
Fabric filter technology for utility coal-fired power plants. Part IV: Pilot-scale and laboratory studies of fabric filter technology for utility applications, 399
Fabric filter technology for utility coal-fired power plants. Part V: Development and evaluation of bag cleaning methods in utility baghouses, 584
Fabric filter technology for utility coal-fired power plants. Part VI: future research, development and demonstration of utility baghouses, 694
Field Studies
Air pollution damage to exterior household paints, 941
An updated Gaussian plume model for tall stacks, 818
Commentary on "Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans", 1108, 1112
Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans, 1107
Field Testing
Effects of ozone or sulfur dioxide on annual plants of the Mojave Desert, 1017
Filtration
Comparison of baghouse test results with the GCA/EPA design model, 872
Fabric filter technology for utility coal-fired power plants. Series overview, 79

Fabric filter technology for utility coal-fired power plants. Part I: utility baghouse design and operation, 80
Fabric filter technology for utility coal-fired power plants. Part II: Application of baghouse technology in the electric utility industry, 178
Fabric filter technology for utility coal-fired power plants. Part III: Performance of full-scale utility baghouses, 281
Fabric filter technology for utility coal-fired power plants. Part IV: Pilot-scale and laboratory studies of fabric filter technology for utility applications, 399
Fabric filter technology for utility coal-fired power plants. Part V: Development and evaluation of bag cleaning methods in utility baghouses, 584
Fabric filter technology for utility coal-fired power plants. Part VI: future research, development and demonstration of utility baghouses, 694
Rotary filters: proposals for efficient industrial dust collection systems, 777

Flow Properties
Determination of dividing streamline heights and Froude numbers for predicting plume transport in complex terrain, 152

Flue Gas Desulfurization
Development of a 24-hour method for analysis of SO_2 and CO_2 from electric utility units equipped with flue gas desulfurization scrubbers, 936
Dry FGD at United Power Association's Stanton station, 1239
Estimates of 1973–1982 annual sulfur oxide emissions from electric utilities, 1075
Performance of dry flue gas desulfurization on a petroleum coke kiln application, 982

Flue Gas Desulfurization (FGD)
Study of the reaction of SO_2 with $NaHCO_3$ and Na_2CO_3, 651

Flue Gases, Analysis
Trace element loss onto polyethylene container walls from impinger solutions from flue gas sampling, 233

Fluidized Beds
Use of a massive volume air sampler to collect fly ash for biological characterization, 671

Fly Ash
A method for predicting the effective volume resistivity of a sodium depleted fly ash layer, 832
Performance of large-diameter wires as discharge electrodes in electrostatic precipitators, 1203
Use of a massive volume air sampler to collect fly ash for biological characterization, 671

Food Processing
Pollutant emission factors for the vegetable oil industry, 52

Food Production
Butanol olfactometer for field measurement of ambient odors, 1208

Forest Fires
Lake Tahoe visibility study, 213

Forest Products Industry
Environmental and energy awards presented by paper and solid forest products associations, 1078

Forests
Acid rain effects research—a status report, 1005

Formaldehyde
Formaldehyde levels in New Hampshire urea-formaldehyde foam insulated houses. Relationship to outdoor temperature, 1051

Fossil Fuels
Development of a 24-hour method for analysis of SO_2 and CO_2 from electric utility units equipped with flue gas desulfurization scrubbers, 936
Study of the reaction of SO_2 with $NaHCO_3$ and Na_2CO_3, 651

Frequency Distribution
Evaluation of RAM model for Cleveland, Ohio, part II, 371
Lake Tahoe visibility study, 213
Pseudo-lognormal distributions, 374

Frequency Distributions
Nonstandard applications of the method of expected exceedances, 670

Fuel Combustion
Estimates of 1973–1982 annual sulfur oxide emissions from electric utilities, 1075

Fuel Composition
Nitric oxide formation from fuel nitrogen studied with a pulse-flame combustor, 38

Fuel Switching
Targeted strategies for control of acidic deposition, 1187

Fugitive Dust
Government of the Virgin Islands, Department of Conservation and Cultural Affairs v. Virgin Islands Paving, Inc., and St. Thomas Quarries, Inc., 787
Ross Neely Express, Inc. v. Alabama Department of Environmental Management, 705

Funding
Acid deposition research in the private sector, 119

Gas Cleaning
The art and the science of electrostatic precipitation, 1163

Gaseous Pollutants
Development of a 24-hour method for analysis of SO_2 and CO_2 from electric utility units equipped with flue gas desulfurization scrubbers, 936

Gasoline Engines
EPA proposes 91 percent reduction of lead in gasoline by January 1986, 958

Gas Velocity
Backfitting electrostatic precipitators: gas velocity and reliability considerations, 664

Government
1984 Directory of governmental air pollution control agencies, 419

Government Affairs Seminar
EPA's hazardous air pollutant policy, 455
Report on the twelfth APCA government affairs seminar. Congress and the Clean Air Act: the critical issues, 624

Gravimetric Measurement
Gravimetric determination of mass on lightly loaded membrane filters, 376

Greenhouse Effect
A review of recent reports dealing with the greenhouse effect of atmospheric carbon dioxide, 553

Gridding
Use of currently available precipitation data for regional air quality modeling, 250

Ground Level Distributions
Surface mine pit retention, 674

Halocarbon
Environmental impact of natural emissions: summary of an APCA international specialty conference, 799

Hazardous Pollutants
EPA's hazardous air pollutant policy, 455

Hazardous Wastes
Obtaining a Part B permit for hazardous waste incineration, 185

Health Effects
Airway reactivity to sulfate and sulfuric acid aerosols in normal and asthmatic subjects, 931
Cause analysis of the Yokkaichi asthma episode in Japan, 743
Comparative respiratory effects of ozone and ambient oxidant pollution exposure during heavy exercise, 804
Formaldehyde levels in New Hampshire urea-formaldehyde foam insulated houses. Relationship to outdoor temperature, 1051
Pulmonary function effects of 1.0 and 2.0 ppm sulfur dioxide exposure in active young male non-smokers, 1117
Sulfur dioxide and exercise: relationships between response and absorption in upper airways, 32
The Hamilton Study: distribution of factors confounding the relationship between air quality and respiratory health, 1039
The relationship between cross-sectional and time series studies, 551

Heavy Metals
Observation of heavy metal compounds in suspended particulate matter at East Helena, Montana, 1198

High Volume Filters
Use of a massive volume air sampler to collect fly ash for biological characterization, 671

High Volume Samplers
A 10 μm cutpoint size selective inlet for hi-vol samplers, 544
Particle source assessment using wind-switched high volume samplers and x-ray diffraction analysis, 1052
The loss of PAH from quartz fiber high volume filters, 57

High Volume Sampling
Feasibility of high volume sampling for determination of total suspended particulate matter and trace metals, 144

Highways
An interactive graphics method for use in highway air quality analysis, 1137

History
Fabric filter technology for utility coal-fired power plants. Part II: Application of baghouse technology in the electric utility industry, 178

Honors and Awards
APCA honors four individuals and three sections in 1984 awards program, 929

Horizontal Mixing
A simple and accurate method for calculation of the standard deviation of the horizontal wind direction, 1139

Human Response
Sulfur dioxide and exercise: relationships between response and absorption in upper airways, 32

Human Studies
Pulmonary function effects of 1.0 and 2.0 ppm sulfur dioxide exposure in active young male non-smokers, 1117
The Hamilton Study: distribution of factors confounding the relationship between air quality and respiratory health, 1039
The relationship between cross-sectional and time series studies, 551

Humidity
Formaldehyde levels in New Hampshire urea-formaldehyde foam insulated houses. Relationship to outdoor temperature, 1051

Hydrocarbons
Effects of ozone prediction accuracy and choice of chemical mechanism on NMHC control requirements as calculated using EKMA, 747
Environmental impact of natural emissions: summary of an APCA international specialty conference, 799
Hydrocarbons and carbonyls in Los Angeles air, 537
Lake Tahoe visibility study, 213
The contribution of city buses to urban air pollution in Jerusalem, Israel, 828

Hydrogen Peroxide
Development of a 24-hour method for analysis of SO_2 and CO_2 from electric utility units equipped with flue gas desulfurization scrubbers, 936

Illinois
A regional, new source bubble policy: its advantages illustrated for the state of Illinois, 25
Using farmers' actions to measure crop loss due to air pollution, 360

Impact Assessment
Assessing impacts of ozone on agricultural crops: I. Overview, 729
Assessing impacts of ozone on agricultural crops: II. Crop yield functions and alternative exposure statistics, 810

Incineration
Obtaining a Part B permit for hazardous waste incineration, 185

Indoor Air Pollution
Formaldehyde levels in New Hampshire urea-formaldehyde foam insulated houses. Relationship to outdoor temperature, 1051
Indoor-outdoor air pollution, allergen and meteorological monitoring in an arid southwest area, 1035
Indoor/outdoor ozone concentrations at a contemporary art gallery, 135
The loss of PAH from quartz fiber high volume filters, 57

Industrialization
Air pollution in the Republic of Korea, 841

Industrial Problems
Rotary filters: proposals for efficient industrial dust collection systems, 777

Industrial Sources
Butanol olfactometer for field measurement of ambient odors, 1208
Trends in emissions of PM, SO_x and NO_x, and VOC:NO_x ratios and their implications for trends in pH near industrialized areas, 844
Validation of the industrial source complex dispersion model in a rural setting, 365

Information Exchange
Air quality technical information exchange to the People's Republic of China, 726

Inhalable Particulates
See also Respirable Particulates
A 10 μm cutpoint size selective inlet for hi-vol samplers, 544

Insight Department
Air quality effects of residential wood combustion, 895
EPA's hazardous air pollutant policy, 455

Instrumentation
A 10 μm cutpoint size selective inlet for hi-vol samplers, 544

A review of personal/portable monitors and samplers for airborne particles, 1014
Product guide/1984, 301
Transport and diffusion calculations during time- and space-varying meteorological conditions using a microcomputer, 227
Using the HP-41CV calculator as a data acquisition system for personal carbon monoxide exposure monitors, 954

Insulation
Formaldehyde levels in New Hampshire urea-formaldehyde foam insulated houses. Relationship to outdoor temperature, 1051

International Aspects
Air quality technical information exchange to the People's Republic of China, 726
1984 market trends for the air pollution control industry, 222
National recourses for international pollution: Towards a United States, Canada solution, 111

International Union of Air Pollution Prevention Associations
International news, 8, 716, 797

Israel
The contribution of city buses to urban air pollution in Jerusalem, Israel, 828

Japan
Cause analysis of the Yokkaichi asthma episode in Japan, 743

Keynote
A corporate view of environmental issues, 920

Korea
Air pollution in the Republic of Korea, 841

Laboratory Studies
Airway reactivity to sulfate and sulfuric acid aerosols in normal and asthmatic subjects, 931
A rainfall simulator for laboratory use in acidic precipitation studies, 355
Commentary on "Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans", 1108, 1112
Comparative respiratory effects of ozone and ambient oxidant pollution exposure during heavy exercise, 804
Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans, 1107
Uptake rate of nitrogen dioxide by potato plants, 668

Laboratory Testing
Butanol olfactometer for field measurement of ambient odors, 1208

Lakes
Acid deposition research in the private sector, 119
Acid rain effects research—a status report, 1005
Comment on "Decision problems in the control of acid precipitation: nonconvexities and irreversibilities" with authors' reply, 42

Lake Tahoe
Lake Tahoe visibility study, 213

Lead
EPA proposes 91 percent reduction of lead in gasoline by January 1986, 958
Feasibility of high volume sampling for determination of total suspended particulate matter and trace metals, 144

Leaf Injury
A rainfall simulator for laboratory use in acidic precipitation studies, 355
Effects of ozone or sulfur dioxide on annual plants of the Mojave Desert, 1017
Field surveys of vegetation during a period of rising electric power generation in the Ohio River Valley, 48

Legal Aspects
National recourses for international pollution: Towards a United States, Canada solution, 111

Legal Briefs Department
Bethlehem Steel Corporation v. United States Environmental Protection Agency, 1214
Fitz-Inn Auto Parks, Inc. v. City of Boston, 208
Government of the Virgin Islands, Department of Conservation and Cultural Affairs v. Virgin Islands Paving, Inc., and St. Thomas Quarries, Inc., 787
Kaiser Aluminum and Chemical Corporation v. Pollution Control Hearings Board of the State of Washington, 370
Kerr-McGee Chemical Corporation v. United States Department of the Interior, 95
National Steel Corporation, Great Lakes Steel Division v. United States Environmental Protection Agency, 108
Oregon Environmental Council v. Kunzman, 991
Ross Neely Express, Inc. v. Alabama Department of Environmental Management, 705
Scanlon v. Commonwealth of Pennsylvania, Department of Transportation, 1174
State of Louisiana v. Union Tank Car Company, 607
State of Michigan Air Pollution Control Commission and Department of Treasury and Wayne County Health Department, Air Pollution Control Division v. City of Detroit and Central Wayne County Sanitation Authority, 1089
State of New York v. The United States Environmental Protection Agency, 885

Legislation
1984 market trends for the air pollution control industry, 222
National recourses for international pollution: Towards a United States, Canada solution, 111
Report on the twelfth APCA government affairs seminar. Congress and the Clean Air Act: the critical issues, 624

Light Scattering
Suggested units for quantities related to visibility in the atmosphere, 378

Liming
Acid rain effects research—a status report, 1005

Literature Review
Acid rain effects research—a status report, 1005
A review of recent reports dealing with the greenhouse effect of atmospheric carbon dioxide, 553

Literature Surveys
Acidic and total primary sulfates: development of emission factors for major stationary combustion sources, 124

Local Agencies
1984 Directory of governmental air pollution control agencies, 419

Lognormal Distribution
Data handling, simultaneity, and rare events, 945
Estimation for lognormal data with multiplicative errors, 237
On the evaluation of predictions from a Gaussian plume model, 1044
Pseudo-lognormal distributions, 374

Los Angeles
Comparative respiratory effects of ozone and ambient oxidant pollution exposure during heavy exercise, 804
Hydrocarbons and carbonyls in Los Angeles air, 537
The carbon containing component of the Los Angeles aerosol: source apportionment and contributions to the visibility budget, 643

Manganese
Comment on "Erasure of midwestern Mn/V signature in an area of high vanadium concentration" with authors' reply, 548

Manufacturers
Product guide/1984, 301

Market Analysis
1984 market trends for the air pollution control industry, 222

Mass Concentration
Gravimetric determination of mass on lightly loaded membrane filters, 376

Mathematical Analysis
A method for predicting the effective volume resistivity of a sodium depleted fly ash layer, 832
An air quality data analysis system for interrelating effects, standards, and needed source reductions: part 8. An effective mean O_3 crop reduction mathematical model, 1023
A simple and accurate method for calculation of the standard deviation of the horizontal wind direction, 1139
Data handling, simultaneity, and rare events, 945
Determination of dividing streamline heights and Froude numbers for predicting plume transport in complex terrain, 152
Estimation for lognormal data with multiplicative errors, 237
Feasibility of high volume sampling for determination of total suspended particulate matter and trace metals, 144
Overview of receptor model principles, 619
Pseudo-lognormal distributions, 374
Relationship between solid-solid separation and recovery in electrostatic precipitators, 247
The effect of sampling frequency on aerosol mean values, 839

Measurement
A review of personal/portable monitors and samplers for airborne particles, 1014
Comment on "Measuring air quality levels inexpensively at multiple locations by random sampling" with authors' reply, 952
Suggested units for quantities related to visibility in the atmosphere, 378

Measurements
Butanol olfactometer for field measurement of ambient odors, 1208
Overview of receptor model principles, 619
Visibility measurements in national parks in the western United States, 899

Measurement Techniques
Acidic and total primary sulfates: development of emission factors for major stationary combustion sources, 124
Hydrocarbons and carbonyls in Los Angeles air, 537
Simplified measurement technique for polycyclic aromatic hydrocarbons using the EPA Method 5 sampling train, 156

Membrane Filters
Gravimetric determination of mass on lightly loaded membrane filters, 376

Meteorological Aspects
Discrepancies in annual concentrations between long-term and short-term modeling techniques, 846
Indoor-outdoor air pollution, allergen and meteorological monitoring in an arid southwest area, 1035
The meteorology of acid deposition. A specialty conference summary, 20
Transport and diffusion calculations during time- and space-varying meteorological conditions using a microcomputer, 227
Trends in historical acid precursor emissions and their airborne and precipitation products, 333
Use of currently available precipitation data for regional air quality modeling, 250

Meteorological Effects
Elemental composition of airborne particulate matter from Santiago City, Chile, 1976, 54
Evaluation of RAM model for Cleveland, Ohio, part II, 371

Methane
Size distribution of airborne particulate matter emitted by the front-end processing of municipal solid waste feed material for large-scale anaerobic digesters, 779

Microcomputers
A Basic computer program for the Gaussian equation for a point source, 253
Determination of coal dust in airborne particulate materials by automated optical microscopy, 1134
The computer corner, 6, 104, 202, 324, 458, 616, 714, 796, 894, 1000, 1098, 1184
Transport and diffusion calculations during time- and space-varying meteorological conditions using a microcomputer, 227

Microscopy
Determination of coal dust in airborne particulate materials by automated optical microscopy, 1134
Relationship between solid-solid separation and recovery in electrostatic precipitators, 247

Midwest
Comment on "Erasure of midwestern Mn/V signature in an area of high vanadium concentration" with authors' reply, 548

Model Evaluation
An air quality data analysis system for interrelating effects, standards, and needed source reductions: part 8. An effective mean O_3 crop reduction mathematical model, 1023
An updated Gaussian plume model for tall stacks, 818
Discrepancies in annual concentrations between long-term and short-term modeling techniques, 846
Improving plume rise prediction accuracy for stable atmospheres with complex vertical structure, 1128
On the evaluation of predictions from a Gaussian plume model, 1044

Modeling
An air quality data analysis system for interrelating effects, standards, and needed source reductions: part 8. An effective mean O_3 crop reduction mathematical model, 1023
Environmental impact of natural emissions: summary of an APCA international specialty conference, 799
Source-receptor relationships for acid deposition: pure and simple? A critical review, 518
Source-receptor relationships for acid

deposition: pure and simple? Critical review discussion papers, 905
The relationship between cross-sectional and time series studies, 551
Transport and diffusion calculations during time- and space-varying meteorological conditions using a microcomputer, 227
Use of currently available precipitation data for regional air quality modeling, 250
Modeling Principles
An updated Gaussian plume model for tall stacks, 818
Discrepancies in annual concentrations between long-term and short-term modeling techniques, 846
Overview of receptor model principles, 619
Models
An interactive graphics method for use in highway air quality analysis, 1137
Comparing PAL and ISC-ST when applied to a line source, 56
Evaluation of RAM model for Cleveland, Ohio, part II, 371
Improving plume rise prediction accuracy for stable atmospheres with complex vertical structure, 1128
Overview of receptor model principles, 619
Model Validation
Data handling, simultaneity, and rare events, 945
On the evaluation of predictions from a Gaussian plume model, 1044
Validation of the industrial source complex dispersion model in a rural setting, 365
Mojave Desert
Effects of ozone or sulfur dioxide on annual plants of the Mojave Desert, 1017
Monitoring
Assessing the effect of transportation control strategies on urban carbon monoxide concentrations, 637
Determination of coal dust in airborne particulate materials by automated optical microscopy, 1134
Indoor-outdoor air pollution, allergen and meteorological monitoring in an arid southwest area, 1035
Observation of heavy metal compounds in suspended particulate matter at East Helena, Montana, 1198
Using the HP-41CV calculator as a data acquisition system for personal carbon monoxide exposure monitors, 954
Monitoring Networks
Lake Tahoe visibility study, 213
Trends in historical acid precursor emissions and their airborne and precipitation products, 333
Visibility measurements in national parks in the western United States, 899
Monitors
A review of personal/portable monitors and samplers for airborne particles, 1014
Montana
Observation of heavy metal compounds in suspended particulate matter at East Helena, Montana, 1198
Mortality
The relationship between cross-sectional and time series studies, 551
National Ambient Air Quality Standards (NAAQS)
A regional, new source bubble policy: its advantages illustrated for the state of Illinois, 25
Nonstandard applications of the method of expected exceedances, 670
Shift from TSP to PM_{10} proposed by EPA in major revision to particulate NAAQS, 556
National Crop Loss Assessment Network (NCLAN)
Assessing impacts of ozone on agricultural crops: I. Overview, 729
Assessing impacts of ozone on agricultural crops: II. Crop yield functions and alternative exposure statistics, 810
Effects of alternative ozone concentrations and response data on economic assessments: the case of California crops, 1122
Using farmers' actions to measure crop loss due to air pollution, 360
National Emission Standards for Hazardous Air Pollutants (NESHAP)
EPA's program for establishing national emission standards for hazardous air pollutants, 532
National Parks
Copper smelters and atmospheric visibility in the Southwest, seasonal analysis, 750
Visibility measurements in national parks in the western United States, 899
Natural Emissions
Environmental impact of natural emissions: summary of an APCA international specialty conference, 799
Neutralization
An inexpensive electrostatic charge neutralizer for microsphere nebulizer systems, 1218
New Focus Department
Bureau of Census reports pollution abatement expenditures and operating costs for 1982, 676
New Hampshire
Formaldehyde levels in New Hampshire urea-formaldehyde foam insulated houses. Relationship to outdoor temperature, 1051
News Focus Department
Air quality improved in most U.S. cities according to National Wildlife Federation index, 380
Canada's clean air requirements; how they compare with the U.S. Clean Air Act, 60
Doubling of federal research effort in acid rain requested by president for fiscal year 1985, 254
EPA outlines interim policy on stack height SIP actions, 756
EPA proposes 91 percent reduction of lead in gasoline by January 1986, 958
EPA releases 1984 report on the cost of clean air and clean water, 1056
National Acid Precipitation Assessment Program issues second annual report, 850
1984 R&D outlook issued by Battelle Columbus Laboratories, 158
Shift from TSP to PM_{10} proposed by EPA in major revision to particulate NAAQS, 556
Newsletter
EPRI newsletter, 10, 330, 718, 1002
IGCI newsletter, 464
International news, 8, 326, 716, 797
MVMA newsletter, 106, 460, 859, 1105
TE effects division environmental report, 600, 1085
The air administrators, 204, 618
Washington report, 4, 102, 200, 322, 452, 614, 712, 794, 892, 998, 1096, 1182
New Source Performance Standards (NSPS)
A regional, new source bubble policy: its advantages illustrated for the state of Illinois, 25
New York State
Comment on "Erasure of midwestern Mn/V signature in an area of high vanadium concentration" with authors' reply, 548
Nitrogen Compounds
Environmental impact of natural emissions: summary of an APCA international specialty conference, 799
Nitric oxide formation from fuel nitrogen studied with a pulse-flame combustor, 38
Nitrogen Dioxide
Uptake rate of nitrogen dioxide by potato plants, 668
Nitrogen Oxide
Targeted strategies for control of acidic deposition, 1187
Nitrogen Oxides
Effects of ozone prediction accuracy and choice of chemical mechanism on NMHC control requirements as calculated using EKMA, 747
The contribution of city buses to urban air pollution in Jerusalem, Israel, 828
Trends in emissions of PM, SO_x and NO_x, and VOC:NO_x ratios and their implications for trends in pH near industrialized areas, 844
North America
Source-receptor relationships for acid deposition: pure and simple? A critical review, 518
Source-receptor relationships for acid deposition: pure and simple? Critical review discussion papers, 905
Trends in historical acid precursor emissions and their airborne and precipitation products, 333
Odors
Butanol olfactometer for field measurement of ambient odors, 1208
Hedonics of odors and odor descriptors, 752
Pollutant emission factors for the vegetable oil industry, 52
State of Louisiana v. Union Tank Car Company, 607
Oil-Fired Equipment
Estimates of 1973–1982 annual sulfur oxide emissions from electric utilities, 1075
Olfactometry
Butanol olfactometer for field measurement of ambient odors, 1208
Hedonics of odors and odor descriptors, 752
Ontario
The Hamilton Study: distribution of factors confounding the relationship between air quality and respiratory health, 1039
Operation and Maintenance
Performance of dry flue gas desulfurization on a petroleum coke kiln application, 982
Optical Analysis
Determination of coal dust in airborne particulate materials by automated optical microscopy, 1134
Oregon
Current and projected impacts of residential wood combustion on pacific northwest air quality, 138
Organic Materials
Indoor/outdoor ozone concentrations at a contemporary art gallery, 135
Ozone
An air quality data analysis system for interrelating effects, standards, and needed source reductions: part 8. An effective mean O_3 crop reduction mathematical model, 1023
Assessing impacts of ozone on agricultural crops: I. Overview, 729
Assessing impacts of ozone on agricultural crops: II. Crop yield functions and alternative exposure statistics, 810
Comparative respiratory effects of ozone and ambient oxidant pollution exposure during heavy exercise, 804
Effects of alternative ozone concentrations and response data on economic assessments: the case of California crops, 1122
Effects of ozone or sulfur dioxide on annual plants of the Mojave Desert, 1017
Effects of ozone prediction accuracy and choice of chemical mechanism on NMHC control requirements as calculated using EKMA, 747
Indoor/outdoor ozone concentrations at a contemporary art gallery, 135
Using farmers' actions to measure crop loss due to air pollution, 360
Paint
Air pollution damage to exterior household paints, 941
Paraffins
Hydrocarbons and carbonyls in Los Angeles air, 537
Parking Facilities
Fitz-Inn Auto Parks, Inc. v. City of Boston, 208
Particle Characterization
Use of a massive volume air sampler to collect fly ash for biological characterization, 671
Particle Size Distribution
A 10 μm cutpoint size selective inlet for hi-vol samplers, 544
Feasibility of high volume sampling for determination of total suspended particulate matter and trace metals, 144
PADRE: a computerized data reduction system for cascade impactor measurements, 655
Relationship between solid-solid separation and recovery in electrostatic precipitators, 247
Size distribution of airborne particulate matter emitted by the front-end processing of municipal solid waste feed material for large-scale anaerobic digesters, 779
Use of a massive volume air sampler to collect fly ash for biological characterization, 671
Validation of the industrial source complex dispersion model in a rural setting, 365
Particulate Collection
Fabric filter technology for utility coal-fired power plants. Series overview, 79
Fabric filter technology for utility coal-fired power plants. Part I: utility baghouse design and operation, 80
Fabric filter technology for utility coal-fired power plants. Part II: Application of baghouse technology in the electric utility industry, 178
Fabric filter technology for utility coal-fired power plants. Part III: Performance of full-scale utility baghouses, 281
Fabric filter technology for utility coal-fired power plants. Part IV: Pilot-scale and laboratory studies of fabric filter technology for utility applications, 399
Fabric filter technology for utility coal-fired power plants. Part V: Development and evaluation of bag cleaning methods in utility baghouses, 584
Fabric filter technology for utility coal-fired power plants. Part VI: future research, development and demonstration of utility baghouses, 694

Particulates
A review of personal/portable monitors and samplers for airborne particles, 1014
Determination of coal dust in airborne particulate materials by automated optical microscopy, 1134
Estimates of air pollution from backyard burning, 661
Gravimetric determination of mass on lightly loaded membrane filters, 376
Indoor-outdoor air pollution, allergen and meteorological monitoring in an arid southwest area, 1035
Observation of heavy metal compounds in suspended particulate matter at East Helena, Montana, 1198
Size distribution of airborne particulate matter emitted by the front-end processing of municipal solid waste feed material for large-scale anaerobic digesters, 779
Surface mine pit retention, 674
The contribution of city buses to urban air pollution in Jerusalem, Israel, 828
Trends in emissions of PM, SO_x and NO_x, and VOC:NO_x ratios and their implications for trends in pH near industrialized areas, 844
Validation of the industrial source complex dispersion model in a rural setting, 365
Particulates, Collection
Performance of gas-atomized spray scrubbers at high pressure, 736
Performance of large-diameter wires as discharge electrodes in electrostatic precipitators, 1203
Rotary filters: proposals for efficient industrial dust collection systems, 777
The art and the science of electrostatic precipitation, 1163
Particulates, Control
Performance of dry flue gas desulfurization on a petroleum coke kiln application, 982
Particulates, Sampling
Elemental composition of airborne particulate matter from Santiago City, Chile, 1976, 54
Lake Tahoe visibility study, 213
The effect of sampling frequency on aerosol mean values, 839
Particulate Sampling
Determination of coal dust in airborne particulate materials by automated optical microscopy, 1134
Performance Testing
A new audit method for EPA reference method 6, 242
Permitting
Obtaining a Part B permit for hazardous waste incineration, 185
Personal Monitoring Systems
A review of personal/portable monitors and samplers for airborne particles, 1014
Using the HP-41CV calculator as a data acquisition system for personal carbon monoxide exposure monitors, 954
Pesticides
Oregon Environmental Council v. Kunzman, 991
Petroleum Industry
Performance of dry flue gas desulfurization on a petroleum coke kiln application, 982
Photography
Lake Tahoe visibility study, 213
Visibility measurements in national parks in the western United States, 899
Photosynthesis
Uptake rate of nitrogen dioxide by potato plants, 668
Pilot Plants
Fabric filter technology for utility coal-fired power plants. Part IV: Pilot-scale and laboratory studies of fabric filter technology for utility applications, 399
Size distribution of airborne particulate matter emitted by the front-end processing of municipal solid waste feed material for large-scale anaerobic digesters, 779
Plants
Uptake rate of nitrogen dioxide by potato plants, 668
Plenary Session
Regulatory aspects of toxic air pollutants, 927
Plume Dispersion
Determination of dividing streamline heights and Froude numbers for predicting plume transport in complex terrain, 152
Plume Dispersion Models
An updated Gaussian plume model for tall stacks, 818
Plume Models
On the evaluation of predictions from a Gaussian plume model, 1044
Plumes
An updated Gaussian plume model for tall stacks, 818
Determination of dividing streamline heights and Froude numbers for predicting plume transport in complex terrain, 152
Improving plume rise prediction accuracy for stable atmospheres with complex vertical structure, 1128
Policy
National recourses for international pollution: Towards a United States, Canada solution, 111
Report on the twelfth APCA government affairs seminar. Congress and the Clean Air Act: the critical issues, 624
Policy Analysis
Comment on "Decision problems in the control of acid precipitation: nonconvexities and irreversibilities" with authors' reply, 42
Political Aspects
Report on the twelfth APCA government affairs seminar. Congress and the Clean Air Act: the critical issues, 624
Pollen
Indoor-outdoor air pollution, allergen and meteorological monitoring in an arid southwest area, 1035
Pollutant Transport
See Transport
Polycyclic Aromatic Hydrocarbons
Simplified measurement technique for polycyclic aromatic hydrocarbons using the EPA Method 5 sampling train, 156
The loss of PAH from quartz fiber high volume filters, 57
Polyethylene
Trace element loss onto polyethylene container walls from impinger solutions from flue gas sampling, 233
Polyurethane
The loss of PAH from quartz fiber high volume filters, 57
Population Exposure
The relationship between cross-sectional and time series studies, 551
Portland, OR
Estimates of air pollution from backyard burning, 661
Power Plants
See Electric Power Plants
Precipitation
A rainfall simulator for laboratory use in acidic precipitation studies, 355
Use of currently available precipitation data for regional air quality modeling, 250
Precipitation Chemistry
Trends in historical acid precursor emissions and their airborne and precipitation products, 333
Precursors
Trends in historical acid precursor emissions and their airborne and precipitation products, 333
Predictions
Improving plume rise prediction accuracy for stable atmospheres with complex vertical structure, 1128
Prediction Systems
A method for predicting the effective volume resistivity of a sodium depleted fly ash layer, 832
Effects of ozone prediction accuracy and choice of chemical mechanism on NMHC control requirements as calculated using EKMA, 747
On the evaluation of predictions from a Gaussian plume model, 1044
Preheaters
A method for predicting the effective volume resistivity of a sodium depleted fly ash layer, 832
Presidential Address
At the crossroads, 923
Pressure Drop
Comparison of baghouse test results with the GCA/EPA design model, 872
Performance of gas-atomized spray scrubbers at high pressure, 736
Probability
Pseudo-lognormal distributions, 374
Product Guide
Product guide/1984, 301
Project Descriptions
Acid deposition research in the private sector, 119
Pulmonary Function
Pulmonary function effects of 1.0 and 2.0 ppm sulfur dioxide exposure in active young male non-smokers, 1117
Quality Assurance
A new audit method for EPA reference method 6, 242
Quartz Filters
The loss of PAH from quartz fiber high volume filters, 57
Radionuclides
An inexpensive electrostatic charge neutralizer for microsphere nebulizer systems, 1218
Trace element loss onto polyethylene container walls from impinger solutions from flue gas sampling, 233
Rain
Commentary on "Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans", 1108, 1112
Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans, 1107
Rain Simulators
A rainfall simulator for laboratory use in acidic precipitation studies, 355
Reactive Organic Gases (ROG)
The carbon containing component of the Los Angeles aerosol: source apportionment and contributions to the visibility budget, 643
Receptor Modeling
Source-receptor relationships for acid deposition: pure and simple? A critical review, 518
Source-receptor relationships for acid deposition: pure and simple? Critical review discussion papers, 905
Receptor Models
Overview of receptor model principles, 619
Reference Methods
A new audit method for EPA reference method 6, 242
Development of a 24-hour method for analysis of SO_2 and CO_2 from electric utility units equipped with flue gas desulfurization scrubbers, 936
Simplified measurement technique for polycyclic aromatic hydrocarbons using the EPA Method 5 sampling train, 156
Regional Air Pollution Studies
Comment on "Erasure of midwestern Mn/V signature in an area of high vanadium concentration" with authors' reply, 548
Regional Air Pollution Study, EPA
Air pollution damage to exterior household paints, 941
Regional Problems
Trends in historical acid precursor emissions and their airborne and precipitation products, 333
Use of currently available precipitation data for regional air quality modeling, 250
Visibility measurements in national parks in the western United States, 899
Regression Analysis
Estimation for lognormal data with multiplicative errors, 237
Regulation
Canada's clean air requirements: how they compare with the U.S. Clean Air Act, 60
EPA's program for establishing national emission standards for hazardous air pollutants, 532
Regulatory Aspects
Regulatory aspects of toxic air pollutants, 927
Research
Acid deposition research in the private sector, 119
Research and Development
1984 R&D outlook issued by Battelle Columbus Laboratories, 158
Residential Heating
Air pollution in the Republic of Korea, 841
Air quality effects of residential wood combustion, 895
Current and projected impacts of residential wood combustion on pacific northwest air quality, 138
Estimates of air pollution from backyard burning, 661
Lake Tahoe visibility study, 213
Resistivity
A method for predicting the effective volume resistivity of a sodium depleted fly ash layer, 832
Respirable Particulates
Indoor-outdoor air pollution, allergen and meteorological monitoring in an arid southwest area, 1035
Respiratory System
Airway reactivity to sulfate and sulfuric acid aerosols in normal and asthmatic subjects, 931

A 10 μm cutpoint size selective inlet for hi-vol samplers, 544
Cause analysis of the Yokkaichi asthma episode in Japan, 743
Comparative respiratory effects of ozone and ambient oxidant pollution exposure during heavy exercise, 804
Pulmonary function effects of 1.0 and 2.0 ppm sulfur dioxide exposure in active young male non-smokers, 1117
Sulfur dioxide and exercise: relationships between response and absorption in upper airways, 32
The Hamilton Study: distribution of factors confounding the relationship between air quality and respiratory health, 1039

Risk Assessment
The relationship between cross-sectional and time series studies, 551

Rotary Filters
Rotary filters: proposals for efficient industrial dust collection systems, 777

Samplers
A review of personal/portable monitors and samplers for airborne particles, 1014

Samplers, Design
A 10 μm cutpoint size selective inlet for hi-vol samplers, 544

Sampling
A review of personal/portable monitors and samplers for airborne particles, 1014
Elemental composition of airborne particulate matter from Santiago City, Chile, 1976, 54
Simplified measurement technique for polycyclic aromatic hydrocarbons using the EPA Method 5 sampling train, 156
The effect of sampling frequency on aerosol mean values, 839
Use of a massive volume air sampler to collect fly ash for biological characterization, 671

Sampling Methods
Comment on "Measuring air quality levels inexpensively at multiple locations by random sampling" with authors' reply, 952
Feasibility of high volume sampling for determination of total suspended particulate matter and trace metals, 144
The effect of sampling frequency on aerosol mean values, 839

Schenectady
A study of marble deterioration at City Hall, Schenectady, New York, 15

Scrubbers
Development of a 24-hour method for analysis of SO_2 and CO_2 from electric utility units equipped with flue gas desulfurization scrubbers, 936
Performance of gas-atomized spray scrubbers at high pressure, 736

Seasonal Effects
Copper smelters and atmospheric visibility in the Southwest, seasonal analysis, 750
Elemental composition of airborne particulate matter from Santiago City, Chile, 1976, 54
Evaluation of RAM model for Cleveland, Ohio, part II, 371
The loss of PAH from quartz fiber high volume filters, 57
Visibility measurements in national parks in the western United States, 899

Simulated Rain
Commentary on "Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans", 1108, 1112
Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans, 1107

Socioeconomic Aspects
The Hamilton Study: distribution of factors confounding the relationship between air quality and respiratory health, 1039

Sodium
Study of the reaction of SO_2 with $NaHCO_3$ and Na_2CO_3, 651

Sodium Compounds
Airway reactivity to sulfate and sulfuric acid aerosols in normal and asthmatic subjects, 931

Sodium Depletion
A method for predicting the effective volume resistivity of a sodium depleted fly ash layer, 832

Solar Radiation
A review of recent reports dealing with the greenhouse effect of atmospheric carbon dioxide, 553

Solids Separation
Relationship between solid-solid separation and recovery in electrostatic precipitators, 247

Solid Waste Disposal
Size distribution of airborne particulate matter emitted by the front-end processing of municipal solid waste feed material for large-scale anaerobic digesters, 779

Source Apportionment
Current and projected impacts of residential wood combustion on pacific northwest air quality, 138
Particle source assessment using wind-switched high volume samplers and x-ray diffraction analysis, 1052
The carbon containing component of the Los Angeles aerosol: source apportionment and contributions to the visibility budget, 643

Source-Receptor Relationships
Source-receptor relationships for acid deposition: pure and simple? A critical review, 518
Source-receptor relationships for acid deposition: pure and simple? Critical review discussion papers, 905
Trends in historical acid precursor emissions and their airborne and precipitation products, 333

Soybeans
Commentary on "Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans", 1108, 1112
Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans, 1107

Spectrometry
Particle source assessment using wind-switched high volume samplers and x-ray diffraction analysis, 1052

Stability
An updated Gaussian plume model for tall stacks, 818

Standard Deviation
A simple and accurate method for calculation of the standard deviation of the horizontal wind direction, 1139

Standards
See also Air Quality Standards, Emission Standards, etc.
An air quality data analysis system for interrelating effects, standards, and needed source reductions: part 8. An effective mean O_3 crop reduction mathematical model, 1023
EPA's program for establishing national emission standards for hazardous air pollutants, 532
Nonstandard applications of the method of expected exceedances, 670

STAPPA
The air administrators, 204, 618

State Agencies
1984 Directory of governmental air pollution control agencies, 419

State Implementation Plans (SIP)
A regional, new source bubble policy: its advantages illustrated for the state of Illinois, 25
Assessing the effect of transportation control strategies on urban carbon monoxide concentrations, 637
EPA outlines interim policy on stack height SIP actions, 756
National Steel Corporation, Great Lakes Steel Division v. United States Environmental Protection Agency, 108
State of New York v. The United States Environmental Protection Agency, 885

Stationary Sources
Acidic and total primary sulfates: development of emission factors for major stationary combustion sources, 124

Statistical Analysis
Assessing impacts of ozone on agricultural crops: I. Overview, 729
Assessing impacts of ozone on agricultural crops: II. Crop yield functions and alternative exposure statistics, 810
Assessing the effect of transportation control strategies on urban carbon monoxide concentrations, 637
Butanol olfactometer for field measurement of ambient odors, 1208
Commentary on "Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans", 1108, 1112
Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans, 1107
Data handling, simultaneity, and rare events, 945
Discrepancies in annual concentrations between long-term and short-term modeling techniques, 846
On the evaluation of predictions from a Gaussian plume model, 1044
The computer corner, 894
The Hamilton Study: distribution of factors confounding the relationship between air quality and respiratory health, 1039

Steel Industry
Rotary filters: proposals for efficient industrial dust collection systems, 777

Stone Surfaces
A study of marble deterioration at City Hall, Schenectady, New York, 15

Storage Containers
Trace element loss onto polyethylene container walls from impinger solutions from flue gas sampling, 233

Stratification
Determination of dividing streamline heights and Froude numbers for predicting plume transport in complex terrain, 152

Sulfates
Acidic and total primary sulfates: development of emission factors for major stationary combustion sources, 124
Acid rain effects research—a status report, 1005
Airway reactivity to sulfate and sulfuric acid aerosols in normal and asthmatic subjects, 931
A study of marble deterioration at City Hall, Schenectady, New York, 15

Sulfur Compounds
Acidic and total primary sulfates: development of emission factors for major stationary combustion sources, 124
Cause analysis of the Yokkaichi asthma episode in Japan, 743
Environmental impact of natural emissions: summary of an APCA international specialty conference, 799
Estimates of 1973–1982 annual sulfur oxide emissions from electric utilities, 1075
Source-receptor relationships for acid deposition: pure and simple? A critical review, 518
Source-receptor relationships for acid deposition: pure and simple? Critical review discussion papers, 905
Trends in historical acid precursor emissions and their airborne and precipitation products, 333

Sulfur Dioxide
Air pollution in the Republic of Korea, 841
A new audit method for EPA reference method 6, 242
An updated Gaussian plume model for tall stacks, 818
A regional, new source bubble policy: its advantages illustrated for the state of Illinois, 25
A study of marble deterioration at City Hall, Schenectady, New York, 15
Development of a 24-hour method for analysis of SO_2 and CO_2 from electric utility units equipped with flue gas desulfurization scrubbers, 936
Effects of ozone or sulfur dioxide on annual plants of the Mojave Desert, 1017
Estimates of 1973–1982 annual sulfur oxide emissions from electric utilities, 1075
Evaluation of RAM model for Cleveland, Ohio, part II, 371
Field surveys of vegetation during a period of rising electric power generation in the Ohio River Valley, 48
National recourses for international pollution: Towards a United States, Canada solution, 111
Performance of dry flue gas desulfurization on a petroleum coke kiln application, 982
Pulmonary function effects of 1.0 and 2.0 ppm sulfur dioxide exposure in active young male non-smokers, 1117
Study of the reaction of SO_2 with $NaHCO_3$ and Na_2CO_3, 651
Sulfur dioxide and exercise: relationships between response and absorption in upper airways, 32
Targeted strategies for control of acidic deposition, 1187
Trends in historical acid precursor emissions and their airborne and precipitation products, 333

Sulfuric Acid
Airway reactivity to sulfate and sulfuric acid aerosols in normal and asthmatic subjects, 931

Sulfur Oxides
Trends in emissions of PM, SO_x and NO_x, and VOC:NO_x ratios and their implications for trends in pH near industrialized areas, 844

Surveys
Field surveys of vegetation during a period of rising electric power generation in the Ohio River Valley, 48
Synthetic Fuels
Nitric oxide formation from fuel nitrogen studied with a pulse-flame combustor, 38
Syracuse, NY
Assessing the effect of transportation control strategies on urban carbon monoxide concentrations, 637
Teleradiometry
Lake Tahoe visibility study, 213
Temperature Effects
A review of recent reports dealing with the greenhouse effect of atmospheric carbon dioxide, 553
Discrepancies in annual concentrations between long-term and short-term modeling techniques, 846
Test Methods
Obtaining a Part B permit for hazardous waste incineration, 185
Substitutes for carbon tetrachloride in the standard ASTM test method for activity of activated carbon, 1215
Thermal Analysis
The carbon containing component of the Los Angeles aerosol: source apportionment and contributions to the visibility budget, 643
Thermal Radiation
A review of recent reports dealing with the greenhouse effect of atmospheric carbon dioxide, 553
Thermal Stability
Study of the reaction of SO_2 with $NaHCO_3$ and Na_2CO_3, 651
Time-Series Studies
The relationship between cross-sectional and time series studies, 551
Topography
Determination of dividing streamline heights and Froude numbers for predicting plume transport in complex terrain, 152
Elemental composition of airborne particulate matter from Santiago City, Chile, 1976, 54
Total Suspended Particulates
Current and projected impacts of residential wood combustion on pacific northwest air quality, 138
Feasibility of high volume sampling for determination of total suspended particulate matter and trace metals, 144
Total Suspended Particulates (TSP)
Air pollution in the Republic of Korea, 841
Comment on "Measuring air quality levels inexpensively at multiple locations by random sampling" with authors' reply, 952
Particle source assessment using wind-switched high volume samplers and x-ray diffraction analysis, 1052
Total Suspended Particultes (TSP)
Indoor-outdoor air pollution, allergen and meteorological monitoring in an arid southwest area, 1035
Toxic Air Pollutants
Regulatory aspects of toxic air pollutants, 927
Report on the twelfth APCA government affairs seminar. Congress and the Clean Air Act: the critical issues, 624
Trace Analysis
Elemental composition of airborne particulate matter from Santiago City, Chile, 1976, 54
Trace element loss onto polyethylene container walls from impinger solutions from flue gas sampling, 233
Trace Metals
Feasibility of high volume sampling for determination of total suspended particulate matter and trace metals, 144
Tracers
Estimates of air pollution from backyard burning, 661
Source-receptor relationships for acid deposition: pure and simple? A critical review, 518
Source-receptor relationships for acid deposition: pure and simple? Critical review discussion papers, 905
Traffic
Assessing the effect of transportation control strategies on urban carbon monoxide concentrations, 637
Feasibility of high volume sampling for determination of total suspended particulate matter and trace metals, 144
The contribution of city buses to urban air pollution in Jerusalem, Israel, 828
Using the HP-41CV calculator as a data acquisition system for personal carbon monoxide exposure monitors, 954
Transboundary Air Pollution
National recourses for international pollution: Towards a United States, Canada solution, 111
Source-receptor relationships for acid deposition: pure and simple? A critical review, 518
Source-receptor relationships for acid deposition: pure and simple? Critical review discussion papers, 905
Transport
Comment on "Erasure of midwestern Mn/V signature in an area of high vanadium concentration" with authors' reply, 548
Copper smelters and atmospheric visibility in the Southwest, seasonal analysis, 750
Determination of dividing streamline heights and Froude numbers for predicting plume transport in complex terrain, 152
National recourses for international pollution: Towards a United States, Canada solution, 111
Source-receptor relationships for acid deposition: pure and simple? A critical review, 518
Source-receptor relationships for acid deposition: pure and simple? Critical review discussion papers, 905
Transport and diffusion calculations during time- and space-varying meteorological conditions using a microcomputer, 227
Trends in historical acid precursor emissions and their airborne and precipitation products, 333
Transportation
The contribution of city buses to urban air pollution in Jerusalem, Israel, 828
Trend Analysis
Source-receptor relationships for acid deposition: pure and simple? A critical review, 518
Source-receptor relationships for acid deposition: pure and simple? Critical review discussion papers, 905
Trends in emissions of PM, SO_x and NO_x, and VOC:NO_x ratios and their implications for trends in pH near industrialized areas, 844
Trends in historical acid precursor emissions and their airborne and precipitation products, 333
United Power Association
Dry FGD at United Power Association's Stanton station, 1239
United States
1984 Directory of governmental air pollution control agencies, 419
Universities
Worldwide training in air pollution control, 721
Unpaved Roads
Validation of the industrial source complex dispersion model in a rural setting, 365
Urban Pollutant Levels
Air pollution in the Republic of Korea, 841
Current and projected impacts of residential wood combustion on pacific northwest air quality, 138
Estimates of air pollution from backyard burning, 661
Hydrocarbons and carbonyls in Los Angeles air, 537
The Hamilton Study: distribution of factors confounding the relationship between air quality and respiratory health, 1039
Using the HP-41CV calculator as a data acquisition system for personal carbon monoxide exposure monitors, 954
Urban Problems
Assessing the effect of transportation control strategies on urban carbon monoxide concentrations, 637
The contribution of city buses to urban air pollution in Jerusalem, Israel, 828
Urea-Formaldehyde
See Formaldehyde
Utility Industry
Development of a 24-hour method for analysis of SO_2 and CO_2 from electric utility units equipped with flue gas desulfurization scrubbers, 936
Fabric filter technology for utility coal-fired power plants. Series overview, 79
Fabric filter technology for utility coal-fired power plants. Part I: utility baghouse design and operation, 80
Fabric filter technology for utility coal-fired power plants. Part II: Application of baghouse technology in the electric utility industry, 178
Fabric filter technology for utility coal-fired power plants. Part III: Performance of full-scale utility baghouses, 281
Fabric filter technology for utility coal-fired power plants. Part IV: Pilot-scale and laboratory studies of fabric filter technology for utility applications, 399
Fabric filter technology for utility coal-fired power plants. Part V: Development and evaluation of bag cleaning methods in utility baghouses, 584
Fabric filter technology for utility coal-fired power plants. Part VI: future research, development and demonstration of utility baghouses, 694
Vanadium
Comment on "Erasure of midwestern Mn/V signature in an area of high vanadium concentration" with authors' reply, 548
Variability
Estimation for lognormal data with multiplicative errors, 237
Vegetation Effects
Acid rain effects research—a status report, 1005
An air quality data analysis system for interrelating effects, standards, and needed source reductions: part 8. An effective mean O_3 crop reduction mathematical model, 1023
A rainfall simulator for laboratory use in acidic precipitation studies, 355
A review of recent reports dealing with the greenhouse effect of atmospheric carbon dioxide, 553
Assessing impacts of ozone on agricultural crops: I. Overview, 729
Assessing impacts of ozone on agricultural crops: II. Crop yield functions and alternative exposure statistics, 810
Commentary on "Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans", 1108, 1112
Comparison of statistical designs and experimental protocols used to evaluate rain acidity effects on field-grown soybeans, 1107
Effects of alternative ozone concentrations and response data on economic assessments: the case of California crops, 1122
Effects of ozone or sulfur dioxide on annual plants of the Mojave Desert, 1017
Field surveys of vegetation during a period of rising electric power generation in the Ohio River Valley, 48
Uptake rate of nitrogen dioxide by potato plants, 668
Using farmers' actions to measure crop loss due to air pollution, 360
Vendors
Product guide/1984, 301
Ventilation
Indoor-outdoor air pollution, allergen and meteorological monitoring in an arid southwest area, 1035
Indoor/outdoor ozone concentrations at a contemporary art gallery, 135
Venturi Scrubbers
Performance of gas-atomized spray scrubbers at high pressure, 736
Vertical Mixing
Improving plume rise prediction accuracy for stable atmospheres with complex vertical structure, 1128
Visibility
Lake Tahoe visibility study, 213
Suggested units for quantities related to visibility in the atmosphere, 378
The carbon containing component of the Los Angeles aerosol: source apportionment and contributions to the visibility budget, 643
Visibility measurements in national parks in the western United States, 899
Visiblity
Copper smelters and atmospheric visibility in the Southwest, seasonal analysis, 750
Visual Resources
Copper smelters and atmospheric visibility in the Southwest, seasonal analysis, 750
Visibility measurements in national parks in the western United States, 899
Volatile Organic Compounds
Effects of ozone prediction accuracy and choice of chemical mechanism on NMHC control requirements as calculated using EKMA, 747
Volatile Organic Compounds (VOC)
Trends in emissions of PM, SO_x and NO_x, and VOC:NO_x ratios and their implications for trends in pH near industrialized areas, 844
Water Pollution
Acid rain effects research—a status report, 1005
Comment on "Decision problems in the control of acid precipitation: nonconvexities and irreversibilities" with authors' reply, 42

Wind Effects
A simple and accurate method for calculation of the standard deviation of the horizontal wind direction, 1139
Discrepancies in annual concentrations between long-term and short-term modeling techniques, 846
Particle source assessment using wind-switched high volume samplers and x-ray diffraction analysis, 1052

Woodburning
Air quality effects of residential wood combustion, 895
Current and projected impacts of residential wood combustion on pacific northwest air quality, 138
Estimates of air pollution from backyard burning, 661
Lake Tahoe visibility study, 213

X-ray Analysis
A study of marble deterioration at City Hall, Schenectady, New York, 15
Particle source assessment using wind-switched high volume samplers and x-ray diffraction analysis, 1052

X-rays
Observation of heavy metal compounds in suspended particulate matter at East Helena, Montana, 1198

CALENDAR

January 22, 1985

The 4th of APCA's International Seminar Series on Acid Rain Options will take place in Newark, New Jersey. The series presents the scientific, social, economic and environmental aspects of the acid rain problem in a forum structured to facilitate public debate. Contact Ms. Terry Ames at APCA Headquarters for complete details. APCA, P.O. Box 2861, Pittsburgh, PA 15230; (412) 621-1090.

January 23, 1985

The APCA International Seminar Series on Acid Rain Options continues with its 5th meeting, which will take place in Boston, Massachusetts. The series presents, in a forum designed to facilitate public debate, the scientific, social, economic and environmental aspects of acid rain. For more information, contact Ms. Terry Ames at APCA Headquarters, P.O. Box 2861, Pittsburgh, PA 15230 (412) 621-1090.

January 30- February 1, 1985

The Rocky Mountain States Section will host an Acid Deposition Symposium at the Hilton Harvest House Hotel in Boulder, Colorado. The symposium will focus on the research and research needs in the area of acid deposition. Session topics will be atmospheric processes, sources, monitoring, terrestrial effects, aquatic effects, and materials damage. For details, contact Charles Stevens, U.S. Environmental Protection Agency, 1860 Lincoln Street, Denver, CO 80295; (303) 844-3711 or FTS 564-3711.

February 14–15, 1985

The first of APCA's new series of Hazardous Waste Workshops will be held at the Sheraton Hotel, Baton Rouge, Louisiana. The workshop series is aimed at taking APCA's concern for this important subject area to strategic cities in the U.S. and Canada in order to maximize participation while minimizing travel costs for attendees. Currently, there are nine such workshops planned through May 1985. For details, contact Ms. Terry Ames, APCA, P.O. Box 2861, Pittsburgh, PA 15230; (412) 621-1090.

February 20, 1985

Toronto, Ontario will host an APCA Hazardous Waste Workshop at the Ontario Institute for Studies in Education. The workshop series is aimed at taking APCA's concern for this important subject area to strategic cities in the U.S. and Canada in order to maximize participation while minimizing costs for attendees. Currently, there are nine such workshops planned through May 1985. For details, contact Ms. Terry Ames, APCA, P.O. Box 2861, Pittsburgh, PA 15230; (412) 621-1090.

March 13–14, 1985

APCA will hold a Specialty Conference on Receptor Methods for Source Apportionment—Real World Issues and Applications at the Williamsburg Hospitality House, Williamsburg, Virginia. The conference is sponsored by APCA's TP-5 Receptor-Source Apportionment Committee and hosted by the Central Virginia Chapter and South Atlantic Section. For details, contact Ms. Terry Ames at APCA, P.O. Box 2861, Pittsburgh, PA 15230; (412) 621-1090.

March 14–15, 1985

St. Louis will host the third APCA Hazardous Waste Workshop at the Holiday Inn West Point, St. Louis, Missouri. The workshop series is aimed at taking APCA's concern for this important subject area to strategic cities in the U.S. and Canada in order to maximize participation while minimizing costs for attendees. Currently, there are nine such workshops planned through May 1985. For details, contact Ms. Terry Ames, APCA, P.O. Box 2861, Pittsburgh, PA 15230; (412) 621-1090.

March 20–21, 1985

The Air Pollution Control Association will hold its 13th annual Government Affairs Seminar at the Capitol Holiday Inn, Washington, D.C. The theme of the 1985 seminar is "The 99th Congress and the President: Outlook for Clean Air." Further information is available from APCA Headquarters, P.O. Box 2861, Pittsburgh, PA 15230; (412) 621-1090.

May 14–16, 1985

The 5th Annual National Symposium on Recent Advances in the Measurement of Air Pollutants, sponsored by EPA's Environmental Monitoring Systems Laboratory-RTP, will be held at the Radisson Plaza Raleigh, Raleigh, North Carolina. Papers are sought on related topics; one-page abstracts should be submitted by January 11, 1985 to Seymour Hochheiser, MD 75, EPA, EMSL, Research Triangle Park, NC 27711. More information is available from Camilla Greene, JACA Corp., 550 Pinetown Road, Fort Washington, PA 19034; (215) 643-5466.

May 19–24, 1985

The 2nd U.S.-Dutch International Symposium: Aerosols will be held at the Williamsburg Hilton Inn, Williamsburg, Virginia. The symposium will focus on issues related to air pollution by aerosols. For details, contact Dr. Si Duk Lee, U.S. Coordinator, U.S. EPA, MD 52, Research Triangle Park, NC 27711.

May 21–23, 1985

An International Conference on Acid Rain Prevention—Technological and Economic Solutions will be held at the University of Rhode Island, Kingston, Rhode Island. Deadline for submittal of abstracts is December 14, 1984. For more information, contact Dr. T. Kowalski, Dept. of Ocean Engineering, The University of Rhode Island, Kingston, RI 02881; (401) 792-2550 or 792-2273.